



# 2023 CATALOG



**MOUNTAIN TESTED**  
**SINCE 1945** PROFESSIONAL GRADE FASTENERS

BigTimberFasteners.com

# MOUNTAIN TESTED™ SINCE 1945


Our rugged, Professional Grade Fasteners for Pros and Weekend Warriors have secured our place as the top fastener brand.



# ▶ TABLE OF CONTENTS

2

INTERIOR  
MULTI-PURPOSE  
WOOD SCREW



39

METAL ROOFING  
SCREWS



4

BRONZE SCREWS



40

SELF-PIERCING  
SCREWS




14

CONSTRUCTION  
LAG SCREW



41

DRILL POINT  
SCREWS



16

BLACK STRUCTURAL  
LAG SCREWS




42

STAR  
DRIVE BITS



20

316 STAINLESS  
STEEL SCREWS




44

BITS, HOLDERS,  
& NUT SETTERS



29

SPECIALTY  
SCREWS



46

MISCELLANEOUS  
PRODUCTS



38

DRYWALL  
SCREWS



47

MARKETING  
MATERIALS



INTERIOR YELLOW ZINC COATED

# YTX

## INTERIOR MULTI-PURPOSE WOOD SCREW



Star Drive



Bugle Head

- Gold Zinc Coating
- Star Drive
- Type 17 Point



TER 1911-01

Scan for Tech Data



Use the proper size, grade and type of Big Timber Stainless Steel Fasteners in areas within one mile of saltwater, near swimming pools, exposure to corrosive chemicals, or other areas where corrosion is more likely to occur, such as livestock confinement. Big Timber Stainless Steel Fasteners should be considered if available. Stainless available as STX.



### BENEFITS & FEATURES:

- Heat-treated hardened steel for high tensile strength and high shear strength
- Gold Zinc Coating for Interior wood construction use
- Deep Six-Lobe Star Drive Recess reduces cam-out end load
- Handles 2X the torque as Phillips or Square Drive while extending the life of the bit
- Under-head cutting nibs to aid in self countersinking
- Aggressive knurl enlarges hole to reduce splitting and drag to help draw lumber together
- V-Cut notches on threads to cut fibers for easier insertion at lower torque
- Type-17 tip for faster precise starts which eliminate "walking"
  - Provides easier insertion without pre-drilling
- Aggressive thread for great withdrawal strength
- Structural Wood Screw - Backed by certified independent testing (TER 1911-01)
- International Building Code and International Residential Code Compliant

### COMMON USES INCLUDE:

- Log Construction
- Timber Frames
- Laminated Beams
- Girders
- Ledger Boards
- Stair Rails
- SIP Panels
- Pole Barns

*NOTE: Always follow lumber manufacturer's recommendations.*

### Available Sizes • #8 x 1" to #10 x 6"

AVAILABLE DRIVE AND SHANK SIZES FOR ANY INTERIOR WOOD CONSTRUCTION JOB:

- T20 ▶ (#8 / 0.119 IN)
- T25 ▶ (#9 / 0.135 IN)
- T25 ▶ (#10 / 0.151 IN)



DIAMETER / DRIVE	LENGTH	AVERAGE ULTIMATE LOAD
0.119" / T20	1 - 2 1/2"	640 lbf (Shear 515 lbf)
0.135" / T25	2 - 3 1/2"	820 lbf (Shear 595 lbf)
0.151" / T25	1 1/2 - 6"	960 lbf (Shear 710 lbf)

**YTX: Interior Multi-Purpose Wood Screw**

- Gold Zinc Coating
- For Interior Use
- Structural Certification



Size	Drive	Thread Length	1 lb Bucket	5 lb Bucket	Bulk	Net Carton Weight	Bulk Carton Quantity	Approx. Screws per lb
8 x 1"	T-20	3/4"	1YTX81 809486130016	5YTX81 809486150007	YTX81 809486180011	36.2 lb	10,000	286
8 x 1-1/4"	T-20	7/8"	1YTX8114 809486130047	5YTX8114 809486150045	YTX8114 809486180042	38.8 lb	9,000	237
8 x 1-1/2"	T-20	1"	1YTX8112 809486130085	5YTX8112 809486150083	YTX8112 809486180080	32.7 lb	6,500	199
8 x 1-3/4"	T-20	1-1/8"	1YTX8134 809486130108	5YTX8134 809486150106	YTX8134 809486180103	25.0 lb	4,000	168
8 x 2"	T-20	1-1/4"	1YTX82 809486-30122	5YTX82 809486150014	YTX82 809486180127	24.5 lb	3,500	147
8 x 2-1/2"	T-20	1-1/2"	1YTX8212 809486-30160	5YTX8212 809486150168	YTX8212 809486180165	22.4 lb	2,500	119
9 x 2"	T-25	1-1/4"	1YTX92 809486130207	5YTX92 809486150205	YTX92 809486180202	25.6 lb	3,000	121
9 x 2-1/2"	T-25	1-1/2"	1YTX9212 809486130245	5YTX9212 809486150243	YTX9212 809486180264	27.1 lb	2,500	100
9 x 2-3/4"	T-25	1-1/2"	1YTX9234 809486130283	5YTX9234 809486150281	YTX9234 809486180288	23.2 lb	2,000	89
9 x 3"	T-25	1-1/2"	1YTX93 809486130320	5YTX93 809486150328	YTX93 809486180325	26.5 lb	2,000	82
9 x 3-1/8"	T-25	1-1/2"	1YTX9318 80948630368	5YTX9318 809486150366	YTX9318 809486180363	24.5 lb	1,800	79
10 x 1-1/2"	T-25	1"	1YTX10112 809486130467	5YTX10112 809486881116	YTX10112 809486180417	24.5 lb	3,000	126
10 x 2"	T-25	1-1/4"	1YTX102 809486130504	5YTX102 809486155163	YTX102 809486156306	26.7 lb	2,500	100
10 x 2-1/2"	T-25	1-1/2"	1YTX10212 809486130375	5YTX10212 809486150373	YTX10212 809486180370	26.7 lb	2,000	80
10 x 3"	T-25	1-1/2"	1YTX103 809486130382	5YTX103 809486150380	YTX103 809486180387	24.5 lb	1,500	67
10 x 3-1/8"	T-25	1-1/2"	1YTX10318 809486130399	5YTX10318 809486150397	YTX10318 809486180394	25.2 lb	1,500	61
10 x 3-1/2"	T-25	2"	1YTX10312 809486130405	5YTX10312 809486150403	YTX10312 809486180400	18.9 lb	1,000	56
10 x 4"	T-25	2"	1YTX104 809486130443	5YTX104 809486150441	YTX104 809486180448	21.2 lb	1,000	48
10 x 5"	T-25	2-1/2"	1YTX105 809486130481	5YTX105 809486155545	YTX105 809486180455	20.1 lb	750	39
10 x 6"	T-25	2-1/2"	1YTX106 809486130528	5YTX106 809486155583	YTX106 809486180462	19.7 lb	600	33



[www.BigTimberFasteners.com](http://www.BigTimberFasteners.com)

\* Due to manufacturing guidelines, weights and bucket counts are approximate.

EXTERIOR CORROSION-RESISTANT

# BTX

## EXTERIOR MULTI-PURPOSE WOOD SCREW



Star Drive



Bugle Head

**ACQ**  
COMPATIBLE

- Bronze Coating
- Aggressive Knurl
- Type 17 Point



TER 1911-01

Scan for Tech Data



Compatible with treated lumber, but areas within one mile of saltwater, near swimming pools, exposure to corrosive chemicals, or other areas where corrosion is more likely to occur, such as livestock confinement, use the proper size, grade and type of Big Timber Stainless Steel Fasteners. Big Timber Stainless Steel Fasteners should be considered if available. *Stainless available as STX.*



### BENEFITS & FEATURES:

- Heat-treated hardened steel for high tensile strength and high shear strength
- Triple layer ACQ compatible bronze coating for exterior or interior use
- Deep six-lobe star drive recess reduces cam-out end load
- Handles 2X the torque as Phillips or Square Drive while extending the life of the bit
- Under-head cutting nibs to aid in self countersinking
- Aggressive knurl enlarges hole to reduce splitting and drag to help draw lumber together
- V-Cut notches on threads to cut fibers for easier insertion at lower torque
- Type-17 tip for faster precise starts which eliminate "walking"
  - Provides easier insertion without pre-drilling
- Aggressive thread for great withdrawal strength
- Structural wood screw - backed by certified independent testing (TER 1911-01)
- International Building Code and International Residential Code Compliant

### COMMON USES INCLUDE:

- Exterior and Interior Wood Framing
- Decks, Rails, Porches, Walls, Floors, Lateral Bracing, Fencing, Siding and Roofing
- Laminating Beams, Girders, and Posts
- Concrete Forms
- General Construction, Remodeling, and Repair

*NOTE: Always follow lumber manufacturer's recommendations.*

### Available Sizes • #8 x 3/4" to #14 x 8"

AVAILABLE DRIVE & SHANK SIZES FOR ANY WOOD CONSTRUCTION JOB:

- T20** ▶ (#8 / 0.119 IN)
- T25** ▶ (#9 / 0.135 IN)
- T25** ▶ (#10 / 0.151 IN)
- T30** ▶ (#14 / 0.169 IN)



DIAMETER / DRIVE	LENGTH	AVERAGE ULTIMATE LOAD
0.119" / T20	¾ - 2"	640 lbf (Shear 515 lbf)
0.135" / T25	1½ - 3 ½"	820 lbf (Shear 595 lbf)
0.151" / T25	2 - 6"	960 lbf (Shear 710 lbf)
0.169" / T30	5 - 8"	1,270 lbf (Shear 960 lbf)

**BTX: Exterior Multi-Purpose Wood Screw**



- Bronze Coating
- For Exterior/Interior Use
- Structural Certification



Size	Drive	Thread Length	1 lb Bucket	5 lb Bucket	Bulk	Net Carton Weight	Bulk Carton Quantity	Approx. Screws per lb
8 x 3/4"	T-20	3/4"	1BTX834 809486131020	5BTX834 809486151011	BTX834 809486181025	27.3 lb	10,000	367
8 x 1"	T-20	3/4"	1BTX81 809486131068	5BTX81 809486151035	BTX81 809486181001	35.9 lb	10,000	286
8 x 1-1/4"	T-20	3/4"	1BTX8114 809486131044	5BTX8114 809486151042	BTX8114 809486181049	39.0 lb	9,000	224
8 x 1-1/2"	T-20	1"	1BTX8112 809486131082	5BTX8112 809486151080	BTX8112 809486181087	33.2 lb	6,500	195
8 x 1-3/4"	T-20	1-1/4"	1BTX8134 809486131105	5BTX8134 809486151103	BTX8134 809486181100	24.1 lb	4,000	171
8 x 2"	T-20	1-1/4"	1BTX82 809486131129	5BTX82 809486151127	BTX82 809486181124	23.1 lb	3,500	149
9 x 1-1/2"	T-25	1"	1BTX9112 809486131167	5BTX9112 809486151165	BTX9112 809486181162	25.4 lb	3,500	160
9 x 2"	T-25	1-1/4"	1BTX92 809486131204	5BTX92 809486151202	BTX92 809486181209	25.4 lb	3,000	119
9 x 2-1/2"	T-25	1-1/2"	1BTX9212 809486131242	5BTX9212 809486151240	BTX9212 809486181247	26.8 lb	2,500	96
9 x 2-3/4"	T-25	1-1/2"	1BTX9234 809486131280	5BTX9234 809486151288	BTX9234 809486181285	24.0 lb	2,000	90
9 x 3"	T-25	1-1/2"	1BTX93 809486131327	5BTX93 809486151325	BTX93 809486181322	26.6 lb	2,000	81
9 x 3-1/8"	T-25	1-1/2"	1BTX9318 809486131365	5BTX9318 809486151363	BTX9318 809486181360	23.8 lb	1,800	78
10 x 2"	T-25	1-1/4"	1BTX102 809486871148	5BTX102 809486881147	BTX102 809486881246	25.9 lb	2,500	98
10 x 2-1/2"	T-25	1-1/2"	1BTX10212 809486871155	5BTX10212 809486881154	BTX10212 809486881260	25.9 lb	2,000	80
10 x 3"	T-25	1-1/2"	1BTX103 809486871162	5BTX103 809486881161	BTX103 809486881284	23.5 lb	1,500	66
10 x 3-1/2"	T-25	2"	1BTX10312 809486131402	5BTX10312 809486151400	BTX10312 809486181407	18.3 lb	1,000	55
10 x 4"	T-25	2"	1BTX104 809486131440	5BTX104 809486151141	BTX104 809486181445	20.8 lb	1,000	49
10 x 5"	T-25	2-1/2"	1BTX105 809486131488	5BTX105 809486881192	BTX105 809486881345	20.1 lb	750	39
10 x 6"	T-25	2-1/2"	1BTX106 809486131525	5BTX106 809486881208	BTX106 809486881215	18.6 lb	600	33

**BTX: Exterior Multi-Purpose Wood Screw**



- Bronze Coating
- For Exterior/Interior Use
- Structural Certification



Size	Drive	Thread Length	25 Count Bucket	100 Count Bucket	Bulk	Net Carton Weight	Bulk Carton Quantity	Approx. Screws per lb
14 x 5"	T-30	2-1/2"	BTX145-25 809486165940	BTX145-100 809486165902	BTX145 809486094950	16.8 lb	500	29
14 x 6"	T-30	2-1/2"	BTX146-25 809486165957	BTX146-100 809486165919	BTX146 809486094967	20.0 lb	500	25
14 x 7"	T-30	2-1/2"	BTX147-25 809486165964	BTX147-100 809486165926	BTX147 809486094974	23.1 lb	500	21
14 x 8"	T-30	2-1/2"	BTX148-25 809486165971	BTX148-100 809486165933	BTX148 809486094981	26.3 lb	500	19

\* Due to manufacturing guidelines, weights and bucket counts are approximate.

EXTERIOR CORROSION-RESISTANT

# CAB

## CABINET SCREWS



Star Drive



Round Washer Head

ACQ COMPATIBLE

- Exterior Coating
- V-Cut Notches
- Type 17 Point



TER 1911-03

Scan for Tech Data



Compatible with treated lumber, but areas within one mile of saltwater, near swimming pools, exposure to corrosive chemicals, or other areas where corrosion is more likely to occur, such as livestock confinement, using the proper size, grade and type of Big Timber Stainless Steel Fasteners should be considered if available. CAB is not available in stainless.



### BENEFITS & FEATURES:

- Heat-treated hardened steel for high tensile and high shear strength
- Triple layer ACQ compatible coating for exterior or interior use
  - > Also available in:
    - ACQ compatible white coating
    - ACQ compatible bronze coating
    - ACQ compatible ruspert coating in an attractive matte black finish
- Deep six-lobe star drive recess reduces cam-out end load
- Handles 2X the torque as Phillips or Square Drive while extending the life of the bit
- Round washer head increases pull through strength
- V-Cut notches on threads to cut fibers for easier insertion at lower torque
- Type 17 tip for faster precise starts which eliminate "walking"
  - Provides for easy insertion without pre-drilling
- Backed by certified independent testing

### COMMON USES INCLUDE:

- Cabinetry
- Furniture
- Windows
- Siding & Trim
- General Construction Projects

*NOTE: Always follow lumber manufacturer's recommendations.*

### Available Sizes: #8 x 1-1/4" to #10 x 3"

AVAILABLE DRIVE AND SHANK SIZES:

T20 ▶ (#8 / 0.119 IN)

T25 ▶ (#10 / 0.145 IN)



DIAMETER / DRIVE	LENGTH	AVERAGE ULTIMATE LOAD
0.119" / T20	1 1/4" - 2 1/2"	480 lbf (Shear 415 lbf)
0.145" / T25	2 1/2" - 3"	885 lbf (Shear 680 lbf)



**CAB: Bronze Cabinet Screw**


- Bronze Coating
- For Exterior/Interior Use



Size	Drive	Thread Length	1 lb Bucket	5 lb Bucket	Bulk	Net Carton Weight	Bulk Carton Quantity	Approx. Screws per lb
8 x 1-1/4"	T-20	3/4"	1CAB8114 809486166169	5CAB8114 809486166176	CAB8114 809486165223	22.3 lb	4,000	182
8 x 1-5/8"	T-20	1"	1CAB8158 809486166244	5CAB8158 809486166251	CAB8158 809486166107	20.1 lb	3,000	149
8 x 2"	T-20	1-3/8"	1CAB82 809486166282	5CAB82 809486166299	CAB82 809486166121	15.9 lb	2,000	125
8 x 2-1/2"	T-20	2"	1CAB8212 809486166329	5CAB8212 809486166336	CAB8212 809486166145	14.3 lb	1,500	105
10 x 2-1/2"	T-25	2"	1CAB10212 809486170708	5CAB10212 809486178728	CAB10212 809486173846	28.0 lb	2,000	73
10 x 3"	T-25	2"	1CAB103 809486178667	5CAB103 809486178681	CAB103 809486173860	24.0 lb	1,500	62

**CAB: White Cabinet Screw**


- White Coating
- For Exterior/Interior Use



8 x 1-5/8"	T-20	1"	1CAB8158W 809486166268	5CAB8158W 809486166275	CAB8158W 809486166114	20.1 lb	3,000	173
8 x 2"	T-20	1-3/8"	1CAB82W 809486166305	5CAB82W 809486166312	CAB82W 809486166138	15.9 lb	2,000	150
8 x 2-1/2"	T-20	2"	1CAB8212W 809486166343	5CAB8212W 809486166350	CAB8212W 809486166152	14.4 lb	1,500	115

**CAB: Black Cabinet Screw**


- White Coating
- For Exterior/Interior Use



8 x 1-1/4"	T-20	3/4"	1CAB8114BLK 809486166220	5CAB8114BLK 809486166237	CAB8114BLK 809486165889	20.3 lbs.	4,000	180
8 x 1-5/8"	T-20	1"	1CAB8158BLK 809486166183	5CAB8158BLK 809486166190	CAB8158BLK 809486165865	19.7 lb	3,000	147
8 x 2"	T-20	1-3/8"	1CAB82BLK 809486166206	5CAB82BLK 809486166213	CAB82BLK 809486165872	16.0 lb	2,000	125
10 x 2-1/2"	T-25	2"	1CAB10212BLK 809486167975	5CAB10212BLK 809486167982	CAB10212BLK 809486167999	30.2 lb	2,000	73
10 x 3"	T-25	2"	1CAB103BLK 809486168002	5CAB103BLK 809486168019	CAB103BLK 809486168026	26.1 lb	1,500	62



[www.BigTimberFasteners.com](http://www.BigTimberFasteners.com)

\* Due to manufacturing guidelines, weights and bucket counts are approximate.

EXTERIOR CORROSION-RESISTANT

# THB

## TRIM HEAD WOOD SCREW



Star Drive



Micro Bugle Head

**ACQ**  
COMPATIBLE

- Bronze Coating
- V-Cut Notches
- Type 17 Point

Scan for Tech Data



Compatible with treated lumber, but areas within one mile of saltwater, near swimming pools, exposure to corrosive chemicals, or other areas where corrosion is more likely to occur, such as livestock confinement, use the proper size, grade and type of Big Timber Stainless Steel Fasteners. Big Timber Stainless Steel Fasteners should be considered if available. *STH available in Stainless.*



### BENEFITS & FEATURES:

- Heat-treated hardened steel for high tensile strength and high shear strength
- Triple layer ACQ compatible bronze coating for exterior or interior use
  - > Also available in:
    - ACQ compatible brozne coating
    - ACQ compatible white coating
- Deep six-lobe star drive recess reduces cam-out end load
- Handles 2X the torque as Phillips or Square Drive while extending the life of the bit
- Under-head cutting nibs to aid in self countersinking
- Precision cut knurl enlarges hole to reduce splitting and drag to help draw lumber together
- V-Cut notches on threads to cut fibers for easier insertion at lower torque
- Type-17 tip for faster precise starts which eliminate "walking"
  - Provides easier insertion without pre-drilling
- Aggressive thread for great withdrawal strength
- Self-countersinking screw head (0.24" Head Diameter)

### COMMON USES INCLUDE:

- Exterior and Interior Wood Framing
- Exterior Trim Boards
- Installation of Windows and Doors
- Decks and Rails
- Porches
- Fencing
- Siding
- Roofing
- General Construction, Remodeling, and Repair

*NOTE: Always follow lumber manufacturer's recommendations.*

### Available Sizes: #9 x 1-5/8" to #9 x 6"

AVAILABLE DRIVE AND SHANK SIZES FOR ANY WOOD CONSTRUCTION JOB:

**T20 ▶ (#9 / 0.135 IN)**



DIAMETER / DRIVE	LENGTH
0.135" / T20	1 1/2" - 6"

**THB: Trim Head Wood Screw**



- Bronze Coating
- For Exterior/Interior Use



Size	Drive	Thread Length	1 lb Bucket	5 lb Bucket	Bulk	Net Carton Weight	Bulk Carton Quantity	Approx. Screws per lb
9 x 1-5/8"	T-20	1"	1THB9158	5THB9158	THB9158	24.5 lb	4,000	169
			809486132164	809486152162	809486182169			
9 x 2"	T-20	1-1/4"	1THB92	5THB92	THB92	23.4 lb	3,000	137
			809486132201	809486152209	809486182206			
9 x 2-1/2"	T-20	1-1/4"	1THB9212	5THB9212	THB9212	24.4 lb	2,500	107
			809486132249	809486152247	809486182244			
9 x 3"	T-20	1-1/2"	1THB93	5THB93	THB93	24.0 lb	2,000	90
			809486132324	809486152322	809486182329			
9 x 4"	T-20	2"	1THB94	5THB94	THB94	24.1 lb	1,500	68
			809486132409	809486152407	809486182404			
9 x 5"	T-20	2-1/2"	1THB95	5THB95	THB95	20.2 lb	1,000	54
			809486132485	809486152483	809486182480			
9 x 6"	T-20	2-1/2"	1THB96	5THB96	THB96	15.0 lb	600	43
			809486132492	809486152490	809486182497			
<b>White Trim Head Screws</b>								
9 x 1-5/8"	T-20	1"	1THB9158W	5THB9158W	THB9158W	25.2 lb	4,000	170
			809486132157	809486152216	809486182220			
9 x 2"	T-20	1-1/4"	1THB92W	5THB92W	THB92W	23.3 lb	3,000	142
			809486132225	809486152230	809486182213			
9 x 2-1/2"	T-20	1-1/4"	1THB9212W	5THB9212W	THB9212W	25.1 lb	2,500	109
			809486132232	809486152278	809486182237			
9 x 3"	T-20	1-1/2"	1THB93W	5THB93W	THB93W	23.8 lb	2,000	90
			809486182282	809486152353	809486182251			



[www.BigTimberFasteners.com](http://www.BigTimberFasteners.com)

\* Due to manufacturing guidelines, weights and bucket counts are approximate.

EXTERIOR CORROSION-RESISTANT

# FS FINISH WOOD SCREW



Star Drive



Finish Head

**ACQ**  
COMPATIBLE

- Bronze Coating
- Aggressive Knurl
- Type 17 Point

Scan for Tech Data



Compatible with treated lumber, but areas within one mile of saltwater, near swimming pools, exposure to corrosive chemicals, or other areas where corrosion is more likely to occur, such as livestock confinement, use the proper size, grade and type of Big Timber Stainless Steel Fasteners. *Stainless available as SFS.*



### BENEFITS & FEATURES:

- Heat-treated hardened steel for high tensile strength and high shear strength
- Triple layer ACQ compatible bronze coating for exterior or interior use
- Deep six-lobe star drive recess reduces cam-out end load
- Handles 2X the torque as Phillips or Square Drive while extending the life of the bit
- Aggressive knurl enlarges hole to reduce splitting and drag to help draw lumber together
- Type 17 tip for faster precise starts which eliminate "walking"
  - Provides for easy insertion without pre-drilling
- Tiny head for a clean finished look

### COMMON USES INCLUDE:

- Finish & Trim Work
- Cabinetry (Fastening Opposing Cabinet Face Frames Together - Predrilling Recommended in Hardwoods)
- Trim Boards (Interior and Exterior)
- Interior and Exterior Fine Construction Projects
- Door Installation (Fasten Through Brick Mold)
- Misc. Remodeling and Repair Jobs

*NOTE: Always follow lumber manufacturer's recommendations.*

### Available Sizes: #7 x 1-1/4" x #7 x 3"



AVAILABLE DRIVE  
AND SHANK SIZES:

**T10** ▶ (#7 / 0.112 IN)

DIAMETER / DRIVE	LENGTH
0.112" / T10	1 1/4" - 3"



**FS: Finish Wood Screw**


-  • Bronze Coating
-  • For Exterior/Interior Use

Size	Drive	Thread Length	1 lb Bucket	5 lb Bucket	Bulk	Net Carton Weight	Bulk Carton Quantity	Approx. Screws per lb
7 x 1-1/4"	T-10	1"	1FS7114 809486550142	5FS7114 809486550548	FS7114 809486550043	23.4 lb	7,000	312
7 x 1-5/8"	T-10	1"	1FS7158 809486550104	5FS7158 809486550500	FS7158 809486550005	25.3 lb	5,500	228
7 x 2"	T-10	1-3/8"	1FS72 809486550111	5FS72 809486550517	FS72 809486550012	23.1 lb	4,000	186
7 x 2-1/2"	T-10	1-1/2"	1FS7212 809486550128	5FS7212 809486550524	FS7212 809486550029	21.8 lb	3,000	147
7 x 3"	T-10	2"	1FS73 809486550135	5FS73 809486550531	FS73 809486550036	21.9 lb	2,500	121



[www.BigTimberFasteners.com](http://www.BigTimberFasteners.com)

\* Due to manufacturing guidelines, weights and bucket counts are approximate.

EXTERIOR CORROSION-RESISTANT

# FSRT

## FINISH SCREW WITH REVERSE THREAD



Star Drive



Finish Head

**ACQ**  
COMPATIBLE

- Bronze Coating
- Composite Compatible
- Type 17 Point



Compatible with treated lumber, but areas within one mile of saltwater, near swimming pools, exposure to corrosive chemicals, or other areas where corrosion is more likely to occur, such as livestock confinement, using the proper size, grade and type of Big Timber Stainless Steel Fasteners should be considered if available. FSRT is not available in stainless.



### BENEFITS & FEATURES:

- Heat-treated hardened steel for high tensile strength and high shear strength
- ACQ compatible coating for exterior or interior use
- Designed specifically for use in composite and cellular PVC trim material
- Reverse thread prevents “mushrooming” in composite and cellular PVC trim material
- Deep six-lobe star drive recess eliminates stripping, cam-out and end load
- Handles 2X the torque as Phillips or Square Drive while extending the life of the bit
- Available drive and shank sizes:
  - T10 (#7 / 0.112 in)
  - T10 (#8 / 0.119 in)
- Type 17 tip for faster precise starts which eliminate “walking” and reduces torque for easy installation
  - Provides for easy insertion without pre-drilling
- Tiny head makes the screw almost disappear beneath the surface for a clean finished look

### COMMON USES INCLUDE:

- Finish & Trim work
- Composite and cellular PVC Trim Boards (interior and exterior)
- Interior MDF trim installation
- PVC brickmold on exterior doors

*NOTE: Always follow lumber manufacturer's recommendations.*

### Available Sizes: #7 x 2-1/2" and #8 x 3"

AVAILABLE DRIVE  
AND SHANK SIZES:



T10 ▶ (#7 / 0.112 IN)

T10 ▶ (#8 / 0.119 IN)

DIAMETER / DRIVE	LENGTH
0.112" / T10	2 1/2"
0.119" / T10	3"



**FSRT: Finish Screw With Reverse Thread**

-  • Bronze Coating w/ White Head
-  • For Exterior/Interior Use



Size	Drive	Thread Length	1 lb Bucket
7 x 2-1/2"	T-10	1-1/2"	1FSRT7212W 809486166046
8 x 3"	T-10	2"	1FSRT83W 8094866166053

FSRT



[www.BigTimberFasteners.com](http://www.BigTimberFasteners.com)

\* Due to manufacturing guidelines, weights and bucket counts are approximate.

STRUCTURAL • CORROSION-RESISTANT

# CTX

## CONSTRUCTION LAG SCREW



Star Drive



Round Washer Head

**ACQ**  
COMPATIBLE

- Bronze Coating
- Star Drive
- Type 17 Point



TER 1907-01

Scan for Tech Data



Compatible with treated lumber, but areas within one mile of saltwater, near swimming pools, exposure to corrosive chemicals, or other areas where corrosion is more likely to occur, such as livestock confinement, use the proper size, grade and type of Big Timber Stainless Steel Fasteners. *Stainless available as SCTX.*



### BENEFITS & FEATURES:

- Heat-treated hardened steel for high tensile strength and high shear strength
- Triple layer ACQ compatible bronze coating for exterior or interior use
- Deep six-lobe star drive recess reduces cam-out end load. Handles twice the torque as Phillips or Square Drive while extending the life of the bit
- Built-in washer head for increased pull through strength
- Under-head cutting nibs to aid in self countersinking
- Aggressive knurl enlarges hole to reduce splitting and drag to help draw lumber together
- V-Cut notches on threads to cut fibers for easier insertion at lower torque
- Type 17 tip for faster precise starts which eliminate "walking" and provides easier insertion without pre-drilling
- Aggressive thread for great withdrawal strength
- Structural lag screw backed by certified independent testing (TER 1907-01) (Acceptable alternative to galvanized lag screws)
- International Building Code and International Residential Code compliant

### COMMON USES INCLUDE:

- Log Construction
- Timber Frames
- Laminated Beams
- Girders
- Ledger Boards
- Stair Rails
- Deck Posts
- Fencing
- SIP Panels
- Pole Barns

*NOTE: Always follow lumber manufacturer's recommendations.*

### Available Sizes • #14 x 1" to #17 x 16"

AVAILABLE DRIVE AND SHANK SIZES:

T25 ▶ (#14 / 0.168 IN)

T30 ▶ (#15 / 0.202 IN)

T40 ▶ (#17 / 0.226 IN)

DIAMETER / DRIVE	LENGTH	AVERAGE ULTIMATE LOAD
0.531" / T25	1 - 6"	930 lbf (Shear 725 lbf)
0.620" / T30	2 - 6"	1,475 lbf (Shear 1,020 lbf)
0.675" / T40	4 - 16"	1,850 lbf (Shear 1,240 lbf)





Size	Drive	Thread Length	25 Count Bucket	100 Count Bucket	Bulk	Net Carton Weight	Bulk Carton Quantity	Approx.Screws per lb
14 x 1"	T-25	Full	-	CTX141-100 809486178704	CTX141 809486174003	16.7 lb	2,000	119
14 x 1-1/2"	T-25	Full	-	CTX14112-100 809486178711	CTX14112 809486173815	17.0 lb	1,500	88
14 x 2"	T-25	Full	-	CTX142-100 809486178735	CTX142 809486173822	14.3 lb	1,000	69
14 x 2-1/2"	T-25	Full	-	CTX14212-100 809486-78759	CTX14212 809486173839	13.3 lb	750	56
14 x 3"	T-25	1.89"	-	CTX143-100 809486178773	CTX143 809486173891	12.6 lb	600	47
14 x 4"	T-25	2"	-	CTX144-100 809486-74423	CTX144 809486174218	13.8 lb	500	36
14 x 5"	T-25	3"	-	CTX145-100 809486174492	CTX145 809486174287	17.9 lb	500	27
14 x 6"	T-25	3"	-	CTX146-100 809486174560	CTX146 809486174355	16.0 lb	400	25
15 x 2"	T-30	1.5"	-	CTX152-100 809486178742	CTX152 809486173853	15.3 lb	700	45
15 x 2-1/2"	T-30	1.5"	-	CTX15212-100 809486178766	CTX15212 809486173877	15.8 lb	600	37
15 x 3"	T-30	1.89"	CTX153-25 809486178957	CTX153-100 809486178803	CTX153 809486173884	15.8 lb	500	31
15 x 3-1/2"	T-30	2.6"	CTX15312-25 809486178940	CTX15312-100 809486178841	CTX15312 809486173921	17.9 lb	500	27
15 x 4"	T-30	2.6"	CTX154-25 809486178933	CTX154-100 809486178889	CTX154 809486173969	16.0 lb	400	25
15 x 5"	T-30	3"	CTX155-25 809486178926	CTX155-100 809486178964	CTX155 809486174041	17.3 lb	350	20
15 x 6"	T-30	3"	CTX156-25 809486178919	CTX156-100 809486179046	CTX156 809486174065	17.5 lb	300	17

Size	Drive	Thread Length	25 Count Bucket	50-100 Count	Bulk	Net Carton Weight	Bulk Carton Quantity	Approx.Screws per lb
17 x 4"	T-40	2.6"	CTX174-25 809486174348	CTX174-100 809486174270	CTX174 809486174072	19.1 lb	350	18
17 x 5"	T-40	3"	CTX175-25 809486174331	CTX175-100 809486174362	CTX175 809486174058	21.0 lb	300	14
17 x 6"	T-40	3"	CTX176-25 809486174324	CTX176-100 809486174478	CTX176 809486174096	19.9 lb	250	12
17 x 7"	T-40	3-1/2"	CTX177-25 809486174317	CTX177-100 809486174157	CTX177 809486174089	22.2 lb	250	11
17 x 8"	T-40	4"	CTX178-25 809486174300	CTX178-100 809486174164	CTX178 809486174102	25.2 lb	250	9
17 x 10"	T-40	4"	-	CTX1710-50 809486167333	CTX1710 809486174126	30.1 lb	250	8
17 x 12"	T-40	4"	-	CTX1712-50 809486167340	CTX1712 809486174140	35.7 lb	250	7
17 x 14"	T-40	5"	-	CTX1714-50 809486174225	CTX1714 809486174911	41.8 lb	250	6
17 x 16"	T-40	5"	-	CTX1716-50 809486174232	CTX1716 809486174263	47.6 lb	250	5

STRUCTURAL • CORROSION-RESISTANT

# BL

## BLACK LOG TIMBER LAG SCREW



5/16"



Hex Washer  
Head

**ACQ**  
COMPATIBLE

- Black Ruspert Coating
- Aggressive Threads
- Type 17 Point



TER 1907-02

Scan for Tech Data



Compatible with treated lumber, but areas within one mile of saltwater, near swimming pools, exposure to corrosive chemicals, or other areas where corrosion is more likely to occur, such as livestock confinement, use the proper size, grade and type of Big Timber Stainless Steel Fasteners. Big Timber Stainless Steel Fasteners should be considered if available. **BL is not available in stainless.**



### BENEFITS & FEATURES:

- Heat-treated hardened steel for high tensile strength and high shear strength
- ACQ compatible 1000 hour ruspert coating in an attractive matte black finish useful with many brands of outdoor or indoor decorative hardware
- Possible replacement for 3/8" lag screws and potentially larger
- Approved for use in ACQ pressure treated lumber
- Type 17 tip for faster precise starts which eliminates "walking"
  - Provides for easy insertion without pre-drilling
- Aggressive thread for greater withdrawal strength
- Structural hex head screw backed by certified independent testing (TER 1907-02)
  - International Building Code and International Residential Code compliant
- 6" Black Log (BL) screws are a great alternative to labor intensive hurricane clips
  - For rafter or truss to double-top plate applications, the 6" BL can easily be installed at a 15-30° angle and is a code compliant

### COMMON USES INCLUDE:

- Truss Hold-Down
- Laminated Beams
- Deck Posts
- Log Construction
- Ledger Boards
- Fencing
- Timber Frames
- Landscape Timbers

NOTE: Always follow lumber manufacturer's recommendations.

### Available Sizes: #14 x 2" to #14 x 14" and #17 x 4" to #17 x 9"

AVAILABLE DRIVE  
AND SHANK SIZES:

5/16 ▶ (#14 / 0.189 IN)

5/16 ▶ (#17 / 0.224 IN)

DIAMETER / DRIVE	LENGTH	AVERAGE ULTIMATE LOAD
0.189" / 5/16	2 - 14"	1,085 lbf (Shear 725 lbf)
0.224" / 5/16	4 - 9"	1,990 lbf (Shear 1,240 lbf)



**BL: Black Log Timber Lag Screws**


- 5/16" Hex Head
- For Exterior/Interior Use
- 1,000 Hour Black Coating
- Structural Certification


**BL**

Size	Drive	Thread Length	25 -50 Count	Bulk	Net Carton Weight	Net Carton Weight	Approx. Screws per lb
			<b>25 Count Bucket</b>				
14 x 2"	5/16" Hex	1.5"	BL142-25 809486167890	BL142 809486167883	11.1 lb	500	47
14 x 2-1/2"	5/16" Hex	1.5"	BL14212-25 809486167913	BL14212 809486167906	9.5 lb	350	40
14 x 3-1/4"	5/16" Hex	2"	BL14314-25 809486167937	BL14314 809486167920	8.6 lb	250	31
14 x 4"	5/16" Hex	2"	BL144-25 809486168101	BL144 809486796649	10.1 lb	250	24
14 x 5"	5/16" Hex	2"	BL145-25 809486166374	BL145 809486166367	11.9 lb	250	22
14 x 6"	5/16" Hex	2"	BL146-25 809486168118	BL146 809486796687	13.9 lb	250	17
14 x 7"	5/16" Hex	2"	BL147-25 809486166398	BL147 809486166381	15.8 lb	250	16
14 x 8"	5/16" Hex	2.5"	BL148-25 809486168125	BL148 809486796724	17.9 lb	250	13
			<b>50 Count Mini Carton</b>				
14 x 9"	5/16" Hex	2-1/2"	BL149-50 809486167357	BL149 809486166404	19.9 lb	250	11
14 x 10"	5/16" Hex	2-1/2"	BL1410-50 809486796779	BL1410 809486796762	22.0 lb	250	11
14 x 12"	5/16" Hex	2-1/2"	BL1412-50 809486796816	BL1412 809486796809	25.8 lb	250	9
14 x 14"	5/16" Hex	2-1/2"	BL1414-50 809486796854	BL1414 809486796847	29.9 lb	250	8
			<b>25 Count Bucket</b>				
17 x 4"	5/16" Hex	2"	BL174-25 809486166435	BL174 809486166428	13.7 lb	250	22
17 x 5"	5/16" Hex	3"	BL175-25 809486166459	BL175 809486166442	16.4 lb	250	15
17 x 6"	5/16" Hex	3"	BL176-25 809486166473	BL176 809486166466	19.0 lb	250	13
17 x 7"	5/16" Hex	3"	BL177-25 809486166497	BL177 809486166480	21.9 lb	250	11
			<b>50-Count Mini Carton</b>				
17 x 9"	5/16" Hex	3"	BL179-50 809486167166	BL179 809486166503	27.9 lb	250	9

\* Due to manufacturing guidelines, weights and bucket counts are approximate.

STRUCTURAL • CORROSION-RESISTANT

# WTX

## WAFER HEAD LAG SCREW



Star  
Drive



Wafer  
Head

**ACQ**  
COMPATIBLE

- Black Ruspert Coating
- Aggressive Knurl
- Type 17 Point



TER 1911-04

Scan for Tech Data



Compatible with treated lumber, but areas within one mile of saltwater, near swimming pools, exposure to corrosive chemicals, or other areas where corrosion is more likely to occur, such as livestock confinement, using the proper size, grade and type of Big Timber Stainless Steel Fasteners. Big Timber Stainless Steel Fasteners should be considered if available. **WTX is not available in stainless.**



### BENEFITS & FEATURES:

- Heat-treated hardened steel for high tensile strength and high shear strength
- ACQ compatible ruspert coating in an attractive matte black finish useful with many brands of outdoor or indoor decorative hardware
- Deep six-lobe star drive recess reduces cam-out end load
- Handles 2X the torque as Phillips or Square Drive while extending the life of the bit
- Aggressive knurl enlarges hole to reduce splitting and drag to help draw lumber together
- V-Cut notches on threads to cut fibers for easier insertion at lower torque
- Type 17 tip for faster precise starts which eliminate "walking"  
- Provides easier insertion without pre-drilling
- Built-in flat washer head to increase pull through strength and leaving behind a smooth flush head
- Aggressive thread for great withdrawal strength
- Structural lag screw backed by certified independent testing (TER1911-04)

### COMMON USES INCLUDE:

- Log Construction
- Timber Frames
- Laminated Beams
- Girders
- Ledger Boards
- Stair Rails
- Deck Posts
- Fencing
- SIP Panels (Structural Insulated Panels)
- Pole Barns
- Pergolas
- Decorative Black Hardware

*NOTE: Always follow lumber manufacturer's recommendations.*

### Available Sizes: #15 x 3" to 15 x 8"

AVAILABLE DRIVE  
AND SHANK SIZES:

**T30** ▶ (#15 / 0.202 IN)

DIAMETER / DRIVE	LENGTH
0.202" / T30	3 - 8"



**WTX: Wafer Head Lag Screw**



- Black Coating
- For Exterior/Interior Use
- Structural Certification



Size	Drive	Thread Length	25 Count Bucket	Bulk	Net Carton Weight	Bulk Carton Quantity	Approx. Screws per lb
15 x 3"	T-30	Full	WTX153-25 809486167067	WTX153 809486167401	17.4 lb	500	28
15 x 3-1/2"	T-30	Full	WTX15312-25 809486167043	WTX15312 809486167418	20.0 lb	500	25
15 x 4"	T-30	2"	WTX154-25 809486167142	WTX154 809486167425	17.7 lb	400	22
15 x 4-1/2"	T-30	2"	WTX15412-25 8094861677128	WTX15412 809486167432	19.6 lb	400	20
15 x 5"	T-30	2"	WTX155-25 809486167203	WTX155 809486167449	18.7 lb	350	18
15 x 6"	T-30	2-1/2"	WTX156-25 809486167234	WTX156 809486167456	19.0 lb	300	15
15 x 8"	T-30	2-1/2"	WTX158-25 809486167258	WTX158 809486167463	20.5 lb	250	12



[www.BigTimberFasteners.com](http://www.BigTimberFasteners.com)

\* Due to manufacturing guidelines, weights and bucket counts are approximate.

ULTIMATE CORROSION-RESISTANCE

# STX

## 316 STAINLESS STEEL MULTI-PURPOSE WOOD SCREW



Star Drive



Bugle Head

**ACQ**  
COMPATIBLE

- Aggressive Knurl & Threads
- Type 17 Point



TER 1911-02

Scan for Tech Data



Compatible with treated lumber, but areas within one mile of saltwater, near swimming pools, exposure to corrosive chemicals, or other areas where corrosion is more likely to occur, such as livestock confinement, using the proper size, grade and type of Big Timber Stainless Steel Fasteners should be considered if available.

A Marmon |  
Berkshire Hathaway  
Company

53 N. 15TH STREET STE # 1 • BILLINGS, MT 59101 • 1.800.726.4803



### BENEFITS & FEATURES:

- 316 Marine grade stainless steel for superior interior/exterior corrosion resistance with high tensile, torque, and shear strength
- Deep six-lobe star drive recess reduces cam-out end load
- Handles 2X the torque as Phillips or Square Drive while extending the life of the bit
- Under-head cutting nibs to aid in self countersinking
- Aggressive knurl enlarges hole to reduce splitting and drag to help draw lumber together
- Type 17 tip for faster precise starts which eliminate "walking"
  - Provides for easy insertion without pre-drilling
- Aggressive thread for great withdrawal strength

### COMMON USES INCLUDE:

- Coastal Area Construction
- Salt Spray Exposure
- Corrosive Environments Such as:
  - Livestock Confinement Operations
  - Pool Decks
- Laminated Beams
- Girders
- Fencing
- Deck Frames, Deck Boards, and Deck Posts

*NOTE: Always follow lumber manufacturer's recommendations.*

### Available Sizes • #8 x 1-1/4" to #10 x 4"

AVAILABLE DRIVE AND SHANK SIZES:

T20 ▶ (#8 / 0.116 IN)

T25 ▶ (#9 / 0.130 IN)

T25 ▶ (#10 / 0.145 IN)

DIAMETER / DRIVE	LENGTH
0.116" / T20	1 1/4" - 2"
0.130" / T25	1 1/2" - 3"
0.145" / T25	2 1/2" - 4"



MARINE GRADE 316 STAINLESS STEEL

TO LEARN MORE ABOUT OUR PRODUCTS GO TO

▶ [BigTimberFasteners.com](http://BigTimberFasteners.com)

**STX: 316 Stainless Steel Multi-Purpose Wood Screw**



- Marine Grade 316 Stainless Steel
- For Exterior/Interior Use
- Structural Certification



Size	Drive	Thread Length	1 lb Bucket	5 lb Bucket	20 lb Bucket	Bulk	Net Carton Weight	Bulk Carton Quantity	Approx. Screws per lb
8 x 1-1/4"	T-20	7/8"	1STX8114	5STX8114	20STX8114	STX8114	38.0 lb	9,000	215
			809486139040	809486159048	809486168606	809486189045			
8 x 1-1/2"	T-20	1"	1STX8112	5STX8112	20STX8112	STX8112	33.0 lb	6,500	185
			809486139088	809486159086	809486168590	809486189083			
8 x 2"	T-20	1-1/4"	1STX82	5STX82	20STX82	STX82	26.2 lb	3,500	149
			809486139125	809486159123	809486168613	809486189120			
9 x 1-5/8"	T-25	1"	1STX9158	5STX9158	20STX9158	STX9158	24.5 lb	4,000	149
			809486139163	809486159161	809486168620	809486189168			
9 x 2"	T-25	1-1/4"	1STX92	5STX92	20STX92	STX92	25.2 lb	3,000	125
			809486139200	809486159208	809486168637	809486-189205			
9 x 2-1/2"	T-25	1-1/2"	1STX9212	5STX9212	20STX9212	STX9212	23.0 lb	2,500	100
			809486139248	809486159246	809486168644	809486189243			
9 x 3"	T-25	1-1/2"	1STX93	5STX93	20STX93	STX93	21.9 lb	2,000	85
			809486139323	809486159321	809486168651	809486189328			
10 x 2-1/2"	T-25	1-1/2"	1STX10212	5STX10212	20STX10212	STX10212	22.8 lb	2,000	83
			809486139378	809486159376	809486168392	809486189373			
10 x 3"	T-25	1-1/2"	1STX103	5STX103	20STX103	STX103	24.0 lb	1,500	69
			809486139392	809486159390	809486168385	809486189397			
10 x 3-1/2"	T-25	2"	1STX10312	5STX10312	20STX10312	STX10312	16.6 lb	1,000	59
			809486139408	809486159406	809486168576	809486189403			
10 x 4"	T-25	2"	1STX104	5STX104	20STX104	STX104	20.5 lb	1,000	53
			809486139446	809486159444	809486168583	809486189441			



[www.BigTimberFasteners.com](http://www.BigTimberFasteners.com)

\* Due to manufacturing guidelines, weights and bucket counts are approximate.

ULTIMATE CORROSION-RESISTANCE

# SCTX

## 316 STAINLESS STEEL CONSTRUCTION LAG SCREW



Star Drive



Round Washer Head

ACQ  
COMPATIBLE

- Under-Head Cutting Nibs
- Aggressive Knurl
- Type 17 Point



TER 1911-02

Scan for Tech Data



Compatible with treated lumber, but areas within one mile of saltwater, near swimming pools, exposure to corrosive chemicals, or other areas where corrosion is more likely to occur, such as livestock confinement, using the proper size, grade and type of Big Timber Stainless Steel Fasteners should be considered if available.

A Marron |  
Berkshire Hathaway  
Company

53 N. 15TH STREET STE #1 • BILLINGS, MT 59101 • 1.800.726.4803



### BENEFITS & FEATURES:

- 316 Marine grade stainless steel for superior interior/exterior corrosion resistance with high tensile, torque, and shear strength
- Deep six-lobe star drive recess reduces cam-out end load
- Handles 2X the torque as Phillips or Square Drive while extending the life of the bit
- Built-in washer head for increased pull through strength
- Under-head cutting nibs to aid in self countersinking
- Aggressive knurl enlarges hole to reduce splitting and drag to help draw lumber together
- V-Cut notches on threads to cut fibers for easier insertion at lower torque
- Type 17 tip for faster precise starts which eliminate "walking"  
- Provides for easy insertion without pre-drilling
- Aggressive thread for great withdrawal strength

### COMMON USES INCLUDE:

- Coastal Area Construction
- Salt Spray Exposure
- Corrosive Environments Such as:
  - Livestock Confinement Operations
  - Pool Decks
- Laminated Beams
- Girders
- Ledger Boards
- Deck Posts
- Fencing
- Sip Panels
- Pole Barns

NOTE: Always follow lumber manufacturer's recommendations.

### Available Sizes: #15 x 2-1/2" to #15 x 6"

AVAILABLE DRIVE  
AND SHANK SIZES:

T30 ▶ (#15 / 0.202 IN)

DIAMETER / DRIVE	LENGTH
0.202" / T30	2 1/2" - 6"



MARINE GRADE 316 STAINLESS STEEL




TO LEARN MORE ABOUT OUR PRODUCTS GO TO

▶ [BigTimberFasteners.com](http://BigTimberFasteners.com)



**SCTX: 316 Stainless Steel Construction Lag Screw**



-  Marine Grade 316 Stainless Steel
-  For Exterior/Interior Use
-  Structural Certification

Size	Drive	Thread Length	1 lb Bucket	5 lb Bucket	20 lb Bucket	Bulk	Net Carton Weight	Bulk Carton Quantity	Approx. Screws per lb
15 x 2-1/2"	T-30	1-1/2"	SCTX15212-25 809486094943	SCTX15212-100 809486173402	- -	SCTX15212 809486173983	17.3 lb	600	35
15 x 3"	T-30	1-1/2"	SCTX153-25 809486094905	SCTX153-100 809486173419	20SCTX153 809486168453	SCTX153 809486173938	16.8 lb	500	29
15 x 4"	T-30	2"	SCTX154-25 809486094912	SCTX154-100 809486173426	20SCTX154 809486168460	SCTX154 809486173945	17.3 lb	400	23
15 x 5"	T-30	2"	SCTX155-25 809486094929	SCTX155-100 809486173433	20SCTX155 809486168477	SCTX155 809486173952	18.5 lb	350	18
15 x 6"	T-30	3"	SCTX156-25 809486094936	SCTX156-100 809486173440	20SCTX156 809486168484	SCTX156 809486173976	18.8 lb	300	15



[www.BigTimberFasteners.com](http://www.BigTimberFasteners.com)

\* Due to manufacturing guidelines, weights and bucket counts are approximate.

ULTIMATE CORROSION-RESISTANCE

# STH

## 316 STAINLESS STEEL TRIM HEAD WOOD SCREW



Star  
Drive



Trim  
Head

**ACQ**  
COMPATIBLE

- Aggressive Threads
- Precision Cut Knurl
- Type 17 Point

Scan for Tech Data



Compatible with treated lumber, but areas within one mile of saltwater, near swimming pools, exposure to corrosive chemicals, or other areas where corrosion is more likely to occur, such as livestock confinement, using the proper size, grade and type of Big Timber Stainless Steel Fasteners should be considered if available.

**MARMON** A Marmon |  
Berkshire Hathaway  
Company

53 N. 15TH STREET STE #1 • BILLINGS, MT 59101 • 1.800.726.4803



### BENEFITS & FEATURES:

- 316 Marine grade stainless steel for superior interior/exterior corrosion resistance with high tensile, torque, and shear strength
- Deep six-lobe star drive recess reduces cam-out end load
- Handles 2X the torque as Phillips or Square Drive while extending the life of the bit
- Small head design for a clean finished look
- Under-head cutting nibs to aid in self countersinking
- Precision cut knurl enlarges hole to reduce splitting and drag to help draw lumber together
- Type 17 tip for faster precise starts which eliminate "walking"
  - Provides for easy insertion without pre-drilling
- Aggressive thread for great withdrawal strength
- Self-countersinking screw head (0.24" Head Diameter)

### COMMON USES INCLUDE:

- Coastal Area Construction
- Salt Spray Exposure
- Corrosive Environments Such as:
  - Livestock Confinement Operations
  - Pool Decks
- Decking
- Siding
- Trim Boards
- Window Trim Boards
- Door Trim Boards
- General Construction Use

*NOTE: Always follow lumber manufacturer's recommendations.*

### Available Sizes: #15 x 2-1/2" to #15 x 6"

AVAILABLE DRIVE  
AND SHANK SIZES:

**T20 ▶ (#9 / 0.118 IN)**

DIAMETER / DRIVE	LENGTH
0.118" / T20	1 1/2" - 4"





**MARINE GRADE 316 STAINLESS STEEL**

TO LEARN MORE ABOUT OUR PRODUCTS GO TO

▶ **BigTimberFasteners.com**

**STH: 316 Stainless Steel Trim Head Wood Screw**



-  Marine Grade 316 Stainless Steel
-  For Exterior/Interior Use

Size	Drive	Thread Length	1 lb Bucket	5 lb Bucket	20 lb Bucket	Bulk	Net Carton Weight	Bulk Carton Quantity	Approx. Screws per lb
9 x 1-5/8"	T-20	1"	1STH9158	5STH9158	20STH9158	STH9158	23.0 lb	4,000	162
			809486138166	809486158164	809486168521	809486188161			
9 x 2-1/4"	T-20	1-1/4"	1STH9214	5STH9214	20STH9214	STH9214	20.0 lb	2,500	123
			809486138227	809486158225	809486168545	809486188222			
9 x 2-1/2"	T-20	1-1/2"	1STH9212	5STH9212	20STH9212	STH9212	22.0 lb	2,500	111
			809486138241	809486158249	809486168538	809486188246			
9 x 3"	T-20	1-1/2"	1STH93	5STH93	20STH93	STH93	21.5 lb	2,000	92
			809486138326	809486158324	809486168552	809486-88321			
9 x 4"	T-20	2"	1STH94	5STH94	20STH94	STH94	23.0 lb	1,500	70
			809486138449	809486158447	809486168569	809486188444			

STH



[www.BigTimberFasteners.com](http://www.BigTimberFasteners.com)

\* Due to manufacturing guidelines, weights and bucket counts are approximate.

ULTIMATE CORROSION-RESISTANCE

# SFS

## 316 STAINLESS STEEL FINISH WOOD SCREW



Star  
Drive



Finish  
Head

**ACQ**  
COMPATIBLE

- Precision Cut Knurl
- Type 17 Point
- Aggressive Threads

Scan for Tech Data



Compatible with treated lumber, but areas within one mile of saltwater, near swimming pools, exposure to corrosive chemicals, or other areas where corrosion is more likely to occur, such as livestock confinement, use the proper size, grade and type of Big Timber Stainless Steel Fasteners. Big Timber Stainless Steel Fasteners should be considered if available.



### BENEFITS & FEATURES:

- 316 Marine grade stainless steel for superior interior/exterior corrosion resistance with high tensile, torque, and shear strength
- Use where harsh environmental conditions require fasteners to deliver corrosion protection
- Deep six-lobe star drive recess reduces cam-out end load
- Handles 2X the torque as Phillips or Square Drive while extending the life of the bit
- Tiny finish head for a clean professional look
- Precision cut knurl enlarges hole to reduce splitting and drag to help draw lumber together
- Type-17 tip for faster precise starts which eliminate "walking"
  - Provides easier insertion without pre-drilling
- Aggressive threads for great withdrawal strength

### COMMON USES INCLUDE:

- Coastal Area Construction
- Salt Spray Exposure
- Corrosive Environments Such as:
  - Livestock Confinement Operations
  - Pool Decks
- Exterior and Interior Wood Framing
- Decking, Rails, Fencing
- Door and Window Installation

*NOTE: Always follow lumber manufacturer's recommendations.*


### Available Sizes:

**#8 x 2" to #8 x 3"**

AVAILABLE DRIVE AND SHANK SIZES FOR ANY WOOD CONSTRUCTION JOB:

**T10 ▶ (#8 / 0.118 IN)**



DIAMETER / DRIVE	LENGTH
0.118" / T10	2" / 2.5" / 3"



**MARINE GRADE 316 STAINLESS STEEL**

**STH: 316 Stainless Steel Finish Wood Screw**



-  • Marine Grade 316 Stainless Steel
-  • For Exterior/Interior Use

Size	Drive	Thread Length	1 lb Bucket	5 lb Bucket	20 lb Bucket	Bulk	Net Carton Weight	Bulk Carton Quantity	Approx. Screws per lb
8 x 2"	T-10	1-3/8"	1SFS82 809486165797	5SFS82 809486165766	20SFS82 809486168491	SFS82 809486165735	22.1 lb	4,000	173
8 x 2-1/2"	T-10	1-1/2"	1SFS8212 809486165803	5SFS8212 809486165773	20SFS8212 809486168507	SFS8212 809486165742	22.0 lb	3,000	137
8 x 3"	T-10	2"	1SFS83 809486165810	5SFS83 809486165780	20SFS83 809486168514	SFS83 809486165759	21.9 lb	2,500	115



[www.BigTimberFasteners.com](http://www.BigTimberFasteners.com)

\* Due to manufacturing guidelines, weights and bucket counts are approximate.



# STAINLESS STEEL SCREWS

- Big Timber's Marine Grade 316 stainless offers outstanding corrosion resistance, even in the toughest environments
- Big Timber's STX and SCTX Marine Grade 316 stainless exceeds building codes and requirements
  - Dr J certified
  - ACQ compatible
- Big Timber offers a wide array of 316 stainless products

**Not all stainless steel fasteners are created equal. Are you using the right fastener for the job?**

**BUILD WITH CONFIDENCE USING BIG TIMBER MARINE GRADE 316 STAINLESS STEEL SCREWS.**

**Marine Grade Stainless Steel: 316-grade vs. 305-grade**

**STX**

Stainless Steel Wood Screw

**SCTX**

Stainless Steel Lag Screw

**SFS**

Stainless Steel Finish Screw

**STH**

Stainless Steel Trim Screw



	316-grade	305-grade
Contents	16% chromium, 10% nickel, 2% molybdenum	18% chromium, 8% nickel
Corrosion resistance to salt/chlorides	<b>BEST</b>	Good
Corrosion resistance to acidic or harsh chemicals, such as cleaners	<b>BEST</b>	Good
Prevents streaking with use in redwood, cedar, oak, and wood treated with CCA	<b>BEST</b>	Good

**MARINE GRADE 316 STAINLESS STEEL**

TO LEARN MORE ABOUT OUR PRODUCTS GO TO [BigTimberFasteners.com](http://BigTimberFasteners.com)

## PTX: Pocket Hole Screw



- Low Friction Lubrication
- For Interior Use



Size	Drive	1 lb Bucket	5 lb Bucket	Bulk	Net Carton Weight	Bulk Carton Quantity	Approx. Screws per lb
<b>Hardwood Screw</b>							
7 x 1-1/4"	T-20	1PTX7114F	-	PTX7114F	31.5 lb	6,000	186
		809486801077	-	809486801152			
7 x 1-1/2"	T-20	1PTX7112F	-	PTX7112F	37.5 lb	6,000	171
		809486801084	-	809486801176			
<b>Soft Wood Screw</b>							
7 x 1-1/4"	T-20	1PTX7114C	-	PTX7114C	25.4 lb	5,000	198
		809486801091	-	809486801176			
7 x 1-1/2"	T-20	1PTX7112C	-	PTX7112C	31.3 lb	5,000	173
		809486801107	-	809486801138			

PTX

## CB: Cement Board Screw



- Green Coating
- For Interior/Exterior Use



**ACQ**  
Compatible

Size	Drive	1 lb Bucket	5 lb Bucket	Bulk	Net Carton Weight	Bulk Carton Quantity	Approx. Screws per lb
<b>Sharp Point</b>							
8 x 1-1/4"	T-25	1CB114S	5CB114S	CB114S	30.7 lb	5,000	166
		809486712113	809486-712021	809486712038			
8 x 1-5/8"	T-25	1CB158S	5CB158S	CB158S	31.1 lb	4,000	132
		809486111114	809486-401826	809486712045			
<b>Drill Point</b>							
8 x 1-1/4"	T-25	1CB114D	5CB114D	CB114D	28.8 lb	5,000	166
		809486712069	809486121069	809486401765			
8 x 1-5/8"	T-25	1CB158D	5CB158D	CB158D	29.4 lb	4,000	142
		809486712137	809486712441	809486401789			

CB

## GTR: Gutter Screw



- Brown or White Coating
- For Exterior/Interior Use



**ACQ**  
Compatible

Size	Color	Drive	Thread Length	50 Count Bucket	Bulk	Net Carton Weight	Bulk Carton Quantity	Approx. Screws per lb
14 x 7"	White	T-30	1-1/2"	GTR147W-50	GTR147W	16.7 lb	250	14
				809486777754	809486777709			
14 x 7"	Brown	T-30	1-1/2"	GTR147B-50	GTR147B	16.7 lb	250	14
				809486777778	809486777723			

GTR

## GDW: Garage Door Screw



- Brown, Sandstone, or White Coating
- For Exterior/Interior Use



**ACQ**  
Compatible

Size	Color	Drive	1 lb Bucket	5 lb Bucket	Bulk	Net Carton Weight	Bulk Carton Quantity	Approx. Screws per lb
7 x 1-1/4"	Brown	T-15	1GDW7114B	5GDW7114B	GDW7114B	21.2 lb	4,000	222
			809486166886	809486166954	809486167951			
7 x 1-1/4"	Sandstone	T-15	1GDW7114S	5GDW7114S	GDW7114S	21.2 lb	4,000	222
			809486166909	809486166961	809486167968			
7 x 1-1/4"	White	T-15	1GDW7114W	5GDW7114W	GDW7114W	21.2 lb	4,000	222
			809486166947	809486166985	809486167944			

GDW

EXTERIOR CORROSION-RESISTANT

# SWD

## SOFT WOOD DECK SCREW



Star  
Drive



Bugle  
Head

**ACQ**  
COMPATIBLE

- Duo-Threads
- V-Cut Notches
- Type 17 Point

Scan for Tech Data



Compatible with treated lumber, but areas within one mile of saltwater, near swimming pools, exposure to corrosive chemicals, or other areas where corrosion is more likely to occur, such as livestock confinement, use the proper size, grade and type of Big Timber Stainless Steel Fasteners.



### BENEFITS & FEATURES:

- Heat-treated hardened steel for high tensile strength and high shear strength
- Triple layer ACQ compatible bronze coating for exterior or interior use
- Deep six-lobe star drive recess reduces cam-out end load
- Handles 2X the torque as Phillips or Square Drive while extending the life of the bit
- Under-head cutting nibs to aid in self countersinking
- Duo-thread design is great for:
  - Proper seating
  - Back-out feature for floor joists that are missed during fastener installation
  - Helps to prevent spinouts in soft wood and end grain
- Aggressive knurl enlarges hole to reduce splitting and drag to help draw lumber together
- V-Cut notches on threads to cut fibers for easier insertion at lower torque
- Type-17 tip for faster precise starts which eliminate "walking"
  - Provides easier insertion without pre-drilling
- Aggressive thread for great withdrawal strength
- International Building Code and International Residential Code compliant

### COMMON USES INCLUDE:

- Decking Boards
  - Cedar
  - Redwood
  - Treated Lumber
- Exterior and Interior Wood Framing
- Subfloor Installation
- General Wood Construction

*NOTE: Always follow lumber manufacturer's recommendations.*

### Available Sizes: #10 x 2-5/8" and #10 x 3-1/8"

AVAILABLE DRIVE AND SHANK SIZES FOR ANY WOOD CONSTRUCTION JOB:

**T25 ▶ (#10 / 0.151 IN)**

DIAMETER / DRIVE	LENGTH
0.151" / T25	2 5/8"
0.151" / T25	3 1/8"





**SWD: Soft Wood Deck Screw**


- Bronze Coating
- For Exterior/Interior Use



Size	Drive	Thread Length	75 Count Bucket	350 Count Bucket	Bulk	Net Carton Weight	Bulk Carton Quantity	Approx. Screws per lb
10 x 2-5/8"	T-25	1-1/2"	SWD10258-75 809486167104	SWD10258-350 809486166541	SWD10258 809486166534	19.9 lb	1,500	75
10 x 3-1/8"	T-25	1-1/2"	SWD10318-75 809486167111	SWD10318-350 809486166572	SWD10318 809486166565	24.0 lb	1,500	62



[www.BigTimberFasteners.com](http://www.BigTimberFasteners.com)

\* Due to manufacturing guidelines, weights and bucket counts are approximate.

EXTERIOR CORROSION-RESISTANT

# FHD

## WOOD-TO-STEEL SELF-DRILLING SCREW



Star Drive



Bugle Head

**ACQ**  
COMPATIBLE

- Deep Chip Cavity
- Self-Drilling
- Metal Wings

Scan for Tech Data



Compatible with treated lumber, but areas within one mile of saltwater, near swimming pools, exposure to corrosive chemicals, or other areas where corrosion is more likely to occur, such as livestock confinement, using the proper size, grade and type of Big Timber Stainless Steel Fasteners should be considered if available. FHD is not available in stainless.



### BENEFITS & FEATURES:

- High-quality heat-treated steel for high tensile and superior shear strength
- Works on hard and soft woods
- Flat head for smooth flush surface
- Deep six-lobe star drive recess reduces cam-out and end load
- Handles 2X the torque of Phillips or square drive while extending the life of the bit
- Self-drilling tip gives screw a drill capacity (through metal) up to 1/4"
  - Recommended drill speed is 2000 RPM
- Deep chip cavity collects metal shavings to prevent interference with cutting threads
- Metal wings on the screw shank are designed to ream out the wood then break off when they encounter metal
  - Wings prevent the screw thread from engaging into wood before the metal
- High performance triple layer (ACQ Compatible) bronze corrosion resistant coating

### COMMON USES INCLUDE:

Ideal for fastening sheathing or dimension lumber to steel and/or aluminum such as:

- Truck Beds
- Trailers - Horse, Utility, ATV, Motorcycle, Snowmobile, and Flatbed
- Docks
- Wall Liners

*NOTE: Always follow lumber manufacturer's recommendations.*

**NOTE:** Overdriving may result in fastener failure. The fastener is fully seated when the head's bearing surface is flush with the material being attached. DO NOT OVER TORQUE and always follow lumber manufacturer's recommendations.

### Available Sizes • #10 x 1-5/8" to #14 x 3-1/4"

AVAILABLE DRIVE AND SHANK SIZES:

T25 ▶ (#10 / 0.132 IN)

T25 ▶ (#12 / 0.151 IN)

T30 ▶ (#14 / 0.168 IN)



DIAMETER / DRIVE	LENGTH
0.132" / T25	1"
0.151" / T25	2 - 2"
0.168" / T30	2 1/4 - 3 1/4"

**FHD: Wood-To-Steel Self-Drilling Screw**



- Bronze Coating
- For Exterior/Interior Use



Size	Drive	Drill Point Size	Thread Length	1 lb Bucket	5 lbs Bucket	Bulk	Net Carton Weight	Bulk Carton Quantity	Approx. Screws per lb
10 x 1-5/8"	T-25	#3	1-1/16"	1FHD10158 809486050574	5FHD10158 809486220052	FHD10158 809486220014	35.5 lb	4,000	115
12 x 2"	T-25	#4	1-1/8"	1FHD122 809486050581	5FHD122 809486220151	FHD122 809486220113	29.2 lb	2,000	68
12 x 2-1/2"	T-25	#4	1-3/4"	1FHD12212 809486050598	5FHD12212 809486220250	FHD12212 809486220212	27.7 lb	1,500	53
14 x 2-3/4"	T-30	#4	1-7/8"	1FHD14234 809486050604	5FHD14234 809486220359	FHD14234 809486220311	29.0 lb	1,000	37
14 x 3-1/4"	T-30	#4	2-3/8"	1FHD14314 809486050611	5FHD14314 809486220458	FHD14314 809486220410	35.4 lb	1,000	31



[www.BigTimberFasteners.com](http://www.BigTimberFasteners.com)

\* Due to manufacturing guidelines, weights and bucket counts are approximate.

EXTERIOR CORROSION-RESISTANT

# CON CONCRETE / MASONRY SCREW



Star Drive




Bugle Head



Hex Washer Head

- Star Drive
- Brushed Nickel Finish
- Corrosion Resistant

Scan for Tech Data



Compatible with treated lumber, but areas within one mile of saltwater, near swimming pools, exposure to corrosive chemicals, or other areas where corrosion is more likely to occur, such as livestock confinement.



## BENEFITS & FEATURES:

- Unique Corrosion-resistant brushed nickel finish
- Notched high/low thread design for easy installation
  - Unique qualities of the hi-lo thread specifications help minimize the amount of material displaced as the screw is driven into the material for superior holding power
- Head Styles:
  - Hex head with a six-lobe T20 star drive recess
  - Flat bugle head with six-lobe T25 star drive recess
- Great alternative to wedge anchors and plugs
- Available in 3/16" and 1/4" diameter
- Lengths 1-3/4" - 3-1/4"

## COMMON USES INCLUDE:

- Used to anchor materials to concrete, cinder block, and brick such as:
  - Wood
  - Metal
  - Plastic
- Numerous wood-to-concrete and steel-to-concrete applications
  - a. Shelving brackets
  - b. HVAC strapping
  - c. Sill plates
  - d. Furring strips
  - e. Post bases
  - f. Baluster posts
  - g. Door thresholds
  - h. Door frames

NOTE: Always follow lumber manufacturer's recommendations.

Use a Variable Speed Drill to drive the screws after the pilot hole has been drilled with a Hammer Drill

- The proper depth of the pilot hole is dependent upon the material being fastened to the concrete
  - Pilot holes for concrete screws should be at least 1/4 in. deeper than the screw will penetrate to allow a little extra space for dust accumulation from the hammer drilling process
- Keep constant pressure on the screw and run the drill at slow to medium speed
  - Heavy-duty drills work best because they can maintain a steady slow speed
- Use a light touch to avoid snapping screws
- Ease off the driving speed as the screw head nears the surface
  - Stop as soon as the screw is flush to the surface and your material is firmly attached
  - Driving at high speeds results in overdriving the screw and can strip the threads or break off the head

NOTE: Overdriving may result in fastener failure. The fastener is fully seated when the head's bearing surface is flush with the material being attached. DO NOT OVER TORQUE and always follow timber manufacturer's recommendations.

## Available Sizes • 3/16" or 1/4"

AVAILABLE DRIVE AND SHANK SIZES:

- ▶ T20 OR 1/4" HEX
- ▶ T25
- ▶ T25 OR 5/16" HEX
- ▶ T30

LENGTH

1-3/4" to 3-1/4"



TO LEARN MORE ABOUT OUR PRODUCTS GO TO

▶ [BigTimberFasteners.com](http://BigTimberFasteners.com)

**CON: Concrete/Masonry Screws - Flat Head**



- Brushed Nickel Color
- Notched Threads
- 100 Count Buckets
- Drill Bit Included



Size	Drive	100 Count Bucket	UPC Number
<b>3/16" Diameter</b>			
1-3/4"	T-25	CON316134-100	809486167487
2-3/4"	T-25	CON316234-100	809486167500
3-1/4"	T-25	CON316314-100	809486167517
<b>1/4" Diameter</b>			
1-3/4"	T-30	CON14134-100	809486167548
2-3/4"	T-30	CON14234-100	809486167562
3-1/4"	T-30	CON14314-100	809486167579

**CON: Concrete/Masonry Screws - Hex Head**



- Brushed Nickel Color
- Notched Threads
- 100 Count Buckets
- Drill Bit Included



Size	Drive	100 Count Bucket	UPC Number
<b>3/16" Diameter</b>			
1-3/4"	T-20 or 1/4" Hex	CON316134H-100	809486167616
2-1/4"	T-20 or 1/4" Hex	CON316214H-100	809486167623
2-3/4"	T-20 or 1/4" Hex	CON316234H-100	809486167630
<b>1/4" Diameter</b>			
1-3/4"	T-25 or 5/16" Hex	CON14134H-100	809486167678
2-1/4"	T-25 or 5/16" Hex	CON14214H-100	809486167685
2-3/4"	T-25 or 5/16" Hex	CON14234H-100	809486167692
3-1/4"	T-25 or 5/16" Hex	CON14314H-100	809486167708



[www.BigTimberFasteners.com](http://www.BigTimberFasteners.com)

\* Due to manufacturing guidelines, weights and bucket counts are approximate.

EXTERIOR CORROSION-RESISTANT

# CD

## COMPOSITE DECK SCREW



T-20  
Star  
Drive



Cylinder  
Head

**ACQ**  
COMPATIBLE

- Exterior Coating
- Dual Thread
- Type 17 Point

Scan for Tech Data



Compatible with treated lumber, but areas within one mile of saltwater, near swimming pools, exposure to corrosive chemicals, or other areas where corrosion is more likely to occur, such as livestock confinement, use the proper size, grade and type of Big Timber Stainless Steel Fasteners. Big Timber Stainless Steel Fasteners should be considered if available. CD is not available in stainless.



### BENEFITS & FEATURES:

- Heat-treated hardened steel for high tensile strength and high shear strength
- 1200 HR ACQ compatible coating for exterior or interior use
- Deep six-lobe star drive recess reduces cam-out end load
- Handles 2X the torque as Phillips or Square Drive while extending the life of the bit
- Offers a clean finish look in all types of deck boards to include:
  - Cap-stock decking
  - PVC decking
  - Composite decking
- Dual under-head cutting nibs to aid in self countersinking
- 10° tapered head design and the reverse threads to prevent mushrooming or “volcanoing”
- Dual-thread (fine/coarse) cuts through fibrous materials with ease reducing torque
  - Maximized holding power
- Type-17 tip for faster precise starts which eliminate “walking”
  - Provides easier insertion without pre-drilling
- Available in 8 common composite deck board colors:
  - Cape Cod Gray
  - Latte
  - Castle Birch
  - Mocha
  - Gray Birch
  - Rustic Cedar
  - Graystone
  - Walnut

### COMMON USES INCLUDE:

- Composite Deck Board Installation
- Composite Fascia Board Installation
- Composite Railings
- Composite Trim Boards
- Wood Siding

*NOTE: Always follow lumber manufacturer's recommendations.*

### Available Sizes: #10 x 1-3/4" to #10 x 2-3/4"

AVAILABLE DRIVE  
AND SHANK SIZES:

**T20** ▶ (#10 / 0.128 IN)

DIAMETER / DRIVE	LENGTH
0.128" / T20	1 3/4"
0.128" / T20	2 3/4"



### CD: Composite Deck Screw



- Available In Top Deck Colors
- Star Drive
- For Exterior/Interior Use



Size	Color	Drive	75 Count Bucket	Bulk	Net Carton Weight	Bulk Carton Quantity
10 x 1-3/4"	Gray Birch	T-20	CD10134BCG-75	CD10134BCG	17.3 lb	2,250
			809486166756	809486166596		
10 x 1-3/4"	Cape Cod Gray	T-20	CD10134CCG-75	CD10134CCG	17.4 lb	2,250
			809486166763	809486166602		
10 x 1-3/4"	Castle Gray	T-20	CD10134CGR-75	CD10134CGR	17.4 lb	2,250
			809486166770	809486166619		
10 x 1-3/4"	Graystone	T-20	CD10134GST-75	CD10134GST	17.4 lb	2,250
			809486166817	809486166657		
10 x 1-3/4"	Latte	T-20	CD10134LTE-75	CD10134LTE	17.2 lb	2,250
			809486166831	809486166671		
10 x 1-3/4"	Mocha	T-20	CD10134MCA-75	CD10134MCA	19.3 lb	2,250
			809486166855	809486166695		
10 x 1-3/4"	Rustic Cedar	T-20	CD10134RCD-75	CD10134RCD	19.3 lb	2,250
			809486166862	809486166701		
10 x 1-3/4"	Walnut	T-20	CD10134WAL-75	CD10134WAL	17.4 lb	2,250
			809486166893	809486166732		

Size	Color	Drive	75 Count Bucket	350 Count Bucket	Bulk	Net Carton Weight	Bulk Carton Quantity
10 x 2-3/4"	Gray Birch	T-20	CD10234BCG-75	CD10234BCG-350	CD10234BCG	20.7 lb	1,750
			809486167364	809486-167074	809486166916		
10 x 2-3/4"	Cape Cod Gray	T-20	CD10234CCG-75	CD10234CCG-350	CD10234CCG	21.2 lb	1,750
			809486167371	809486167081	809486166923		
10 x 2-3/4"	Castle Gray	T-20	CD10234CGR-75	CD10234CGR-350	CD10234CGR	20.4 lb	1,750
			809486167388	809486167098	809486166930		
10 x 2-3/4"	Graystone	T-20	CD10234GST-75	CD10234GST-350	CD10234GST	20.7 lb	1,750
			809486167395	809486167135	809486166978		
10 x 2-3/4"	Latte	T-20	CD10234LTE-75	CD10234LTE-350	CD10234LTE	20.8 lb	1,750
			809486166039	809486167159	809486166992		
10 x 2-3/4"	Mocha	T-20	CD10234MCA-75	CD10234MCA-350	CD10234MCA	21.0 lb	1,750
			809486166008	809486167173	809486167012		
10 x 2-3/4"	Rustic Cedar	T-20	CD10234RCD-75	CD10234RCD-350	CD10234RCD	21.0 lb	1,750
			809486166015	809486167180	809486167029		
10 x 2-3/4"	Walnut	T-20	CD10234WAL-75	CD10234WAL-350	CD10234WAL	20.6 lb	1,750
			809486166022	809486167227	809486167050		

\* Due to manufacturing guidelines, weights and bucket counts are approximate.

# DRYWALL SCREWS

## DWC: Drywall-To-Wood Screw



- Gray Phosphate Coating
- Phillips Drive
- For Interior Use
- Drywall-to-Wood Studs



Size	Drive	1 lb Bucket	5 lb Bucket	Bulk	Net Carton Weight	Bulk Carton Quantity	Approx. Screws per lb
6 x 1"	#2	1DWC61	5DWC61	DWC61	31.0 lb	10,000	355
		809486775088	809486-777082	809486-773084			
6 x 1-1/4"	#2	1DWC6114	5DWC6114	DWC6114	29.0 lb	8,000	289
		809486775101	809486-777105	809486-773107			
6 x 1-5/8"	#2	1DWC6158	5DWC6158	DWC6158	22.0 lb	5,000	224
		809486775132	809486-777136	809486-773138			
6 x 2"	#2	1DWC62	5DWC62	DWC62	20.0 lb	3,500	190
		809486775163	809486-777167	809486-773169			
8 x 2-1/2"	#2	1DWC8212	5DWC8212	DWC8212	21.0 lb	2,500	110
		809486775521	809486-777525	809486-773527			

## DWF: Drywall-To-Metal Screw



- Gray Phosphate Coating
- Phillips Drive
- For Interior Use
- Drywall-to-Metal Studs



Size	Drive	1 lb Bucket	5 lb Bucket	Bulk	Net Carton Weight	Bulk Carton Quantity	Approx. Screws per lb
6 x 1-1/4"	#2	1DWF6114	5DWF6114	DWF6114	29.0 lb	8,000	281
		809486771134	809486774142	809486750153			
6 x 1-5/8"	#2	1DWF6158	5DWF6158	DWF6158	22.0 lb	5,000	225
		809486771141	809486774135	809486750207			
6 x 2"	#2	1DWF62	5DWF62	DWF62	20.0 lb	3,500	198
		809486771653	809486774159	809486750214			
8 x 2-1/2"	#2	1DWF8212	5DWF8212	DWF8212	21.0 lb	2,500	112
		809486771523	809486774524	841355091257			

## DCY: Drywall-To-Wood Screw



- Yellow Zinc Coating
- Phillips Drive
- For Interior Use
- Drywall-To-Wood Studs



Size	Drive	1 lb Bucket	5 lb Bucket	Bulk	Net Carton Weight	Bulk Carton Quantity	Approx. Screws per lb
6 x 1"	#2	1DCY61	5DCY61	DCY61	30.0 lb	10,000	340
		809486767083	809486769087	809486765089			
6 x 1-1/4"	#2	1DCY6114	5DCY6114	DCY6114	29.0 lb	8,000	287
		809486767106	809486769100	809486765102			
6 x 1-5/8"	#2	1DCY6158	5DCY6158	DCY6158	22.0 lb	5,000	222
		809486767137	809486769131	809486765133			
7 x 2"	#2	1DCY72	5DCY72	DCY72	20.2 lb	3,500	158
		809486767168	809486769162	809486765164			
8 x 2-1/2"	#2	1DCY8212	5DCY8212	DCY8212	22.5 lb	2,500	110
		809486767526	809486769520	809486765522			
8 x 3"	#2	1DCY83	5DCY83	DCY83	22.0 lbs	2,000	97
		809486767564	809486769568	809486765560			
10 x 3-1/2"	#2	1DCY10312	5DCY10312	DCY10312	18.0 lb	1,000	58
		809486767649	809486769643	809486800414			
10 x 4"	#2	1DCY104	5DCY104	DCY104	22.0 lb	1,000	51
		809486767687	809486769681	8094800452			

\* Due to manufacturing guidelines, weights and bucket counts are approximate.



# METAL ROOFING SCREWS

## WB: Metal Roofing Screw

- 1/4" Hex Head
- EPDM Sealing Washer/Micro-Bit
- Zinc or Colored Head
- For Exterior/Interior Use



Size	Color	Drive	100 Count Bucket	UPC Number	500 Count Bucket	UPC Number
10 x 1"	Zinc	1/4" Hex	WB1Z-100	809486799008	WB1Z-500	809486799015
10 x 1-1/2"	Zinc	1/4" Hex	WB112Z-100	809486799053	WB112Z-500	809486799060
10 x 2"	Zinc	1/4" Hex	WB2Z-100	809486799107	WB2Z-500	809486799114
10 x 1"	Antique Bronze	1/4" Hex	WB1AB-100	809486799381	-	-
10 x 1-1/2"	Antique Bronze	1/4" Hex	WB112AB-100	809486799503	-	-
10 x 2"	Antique Bronze	1/4" Hex	WB2AB-100	809486799800	-	-
10 x 1"	Brick Red	1/4" Hex	WB1BRICK-100	809486799244	-	-
10 x 1-1/2"	Brick Red	1/4" Hex	WB112BRICK-100	809486799541	-	-
10 x 2"	Brick Red	1/4" Hex	WB2BRICK-100	809486799848	-	-
10 x 1"	Brite White	1/4" Hex	WB1BW-100	809486799268	WB1BW-500	809486798124
10 x 1-1/2"	Brite White	1/4" Hex	WB112BW-100	809486799565	WB112BW-500	809486798223
10 x 2"	Brite White	1/4" Hex	WB2BW-100	809486799862	WB2BW-500	809486798346
10 x 1"	Cocoa Brown	1/4" Hex	WB1COCOA-100	809486799299	WB1COCOA-500	809486798490
10 x 1-1/2"	Cocoa Brown	1/4" Hex	WB112COCA-100	809486799596	WB112COCOA-500	809486798230
10 x 2"	Cocoa Brown	1/4" Hex	WB2COCA-100	809486799893	WB2COCOA-500	809486798353
10 x 1"	Evergreen	1/4" Hex	WB1E-100	809486799305	-	-
10 x 1-1/2"	Evergreen	1/4" Hex	WB112E-100	809486799602	WB112E-500	809486798247
10 x 2"	Evergreen	1/4" Hex	WB2E-100	809486799909	WB2E-500	809486798360
10 x 1"	Hartford Green	1/4" Hex	WB1HG-100	809486799206	-	-
10 x 1-1/2"	Hartford Green	1/4" Hex	WB112HG-100	809486799626	-	-
10 x 2"	Hartford Green	1/4" Hex	WB2HG-100	809486799923	-	-
10 x 1"	Tan	1/4" Hex	WB1T-100	809486798421	-	-
10 x 1-1/2"	Tan	1/4" Hex	WB112T-100	809486799688	-	-
10 x 2"	Tan	1/4" Hex	WB2T-100	809486798414	-	-
10 x 1"	White	1/4" Hex	WB1W-100	809486799398	-	-
10 x 1-1/2"	White	1/4" Hex	WB112W-100	809486799695	-	-
10 x 2"	White	1/4" Hex	WB2W-100	809486799992	-	-

## EWB: Metal Roofing Screw

- Star Drive
- EPDM Sealing Washer/Micro-Bit
- Gold Zinc with Colored Head
- For Exterior/Interior Use




Size	Color	Drive	100 Count Bucket	UPC Number
10 x 1-1/2"	Zinc	T-25	EWB112Z-100	809486798483
10 x 1-1/2"	Antique Bronze	T-25	EWB112AB-100	809486798070
10 x 1-1/2"	Brick Red	T-25	EWB112BRICK-100	809486798001
10 x 1-1/2"	Brite White	T-25	EWB112BW-100	809486798025
10 x 1-1/2"	Cocoa Brown	T-25	EWB112COCOA-100	809486798018
10 x 1-1/2"	Evergreen	T-25	EWB112E-100	809486798032
10 x 1-1/2"	Hartford Green	T-25	EWB112HG-100	809486798131
10 x 1-1/2"	Tan	T-25	EWB112T-100	809486798087
10 x 2"	White	T-25	EWB112W-100	809486798063

\* Due to manufacturing guidelines, weights and bucket counts are approximate.

# SELF-PIERCING SCREWS

## MTS: Modified Truss Wood Screw

- Phillips Head
- For Interior Use
- Zinc Plated or Colored Head



Size	Color	Drive	75 Count Bucket	Bulk	Net Carton Weight	Bulk Carton Quantity	Approx. Screws per lb
8 x 1/2"	Zinc	#2	1MTS812	MTS812	37.5 lb	10,000	323
			809486404193	809486932054			
8 x 3/4"	Zinc	#2	1MTS834	MTS834	37.2 lb	8,000	204
			809486404230	809486932108			
8 x 1"	Zinc	#2	1MTS81	MTS81	27.6 lb	5,000	208
			809486404100	809486932153			
8 x 1-1/4"	Zinc	#2	1MTS8114	MTS8114	32.7 lb	5,000	149
			809486404117	809486932207			
8 x 1-5/8"	Zinc	#2	1MTS8158	MTS8158	32.4 lb	4,000	122
			809486404131	809486932252			
8 x 1-7/8"	Zinc	#2	1MTS8178	MTS8178	22.7 lb	2,500	113
			809486404186	809486932306			
8 x 2-1/2"	Zinc	#2	1MTS8212	MTS8212	22.9 lb	2,000	86
			809486400249	809486932351			
8 x 3"	Zinc	#2	1MTS83	MTS83	19.3 lb	1,500	81
			809486400232	841355094302			
8 x 3/4"	White	#2	1MTS834W	MTS834W	39.8 lb	10,000	214
			809486404247	809486932221			
8 x 1"	White	#2	1MTS81W	MTS81W	43.6 lb	8,000	169
			809486404223	809486932269			
8 x 1-1/4"	White	#2	1MTS8114W	MTS8114W	31.6 lb	5,000	149
			809486404124	809486932405			
8 x 1-5/8"	White	#2	1MTS8158W	MTS8158W	31.5 lb	4,000	125
			809486404179	809486932443			
8 x 3/4"	Tan	#2	1MTS834T	MTS834T	31.8 lb	8,000	255
			809486404322	809486932016			
8 x 1"	Tan	#2	1MTS81T	MTS81T	39.1 lb	8,000	172
			809486404216	809486932818			
8 x 1-1/4"	Tan	#2	1MTS8114T	MTS8114T	31.6 lb	5,000	149
			809486404094	809486094875			
8 x 1-5/8"	Tan	#2	1MTS8158T	MTS8158T	28.0 lb	4,000	121
			809486404162	809486932429			
8 x 3/4"	Brown	#2	1MTS834B	MTS834B	31.8 lb	8,000	263
			809486404254	809486932757			
8 x 1"	Brown	#2	1MTS81B	MTS81B	24.0 lb	5,000	172
			809486404209	809486094882			
8 x 1-1/4"	Brown	#2	1MTS8114B	MTS8114B	28.6 lb	5,000	150
			809486404261	809486932214			
8 x 1-5/8"	Brown	#2	1MTS8158B	MTS8158B	28.0 lb	4,000	121
			809486404155	809486094868			

\* Due to manufacturing guidelines, weights and bucket counts are approximate.

# DRILL POINT SCREWS

All of our Self-Drilling Screws are manufactured to meet or exceed **ASTM specifications C1002, C954, and C1513**

## MTD: Modified Truss Metal Screw



- Zinc Plated
- For Interior Use



Size	Drive	1 lbs Bucket	Bulk	Net Carton Weight	Bulk Carton Quantity	Approx. Screws per lb
8 x 1/2"	#2 Phillips	1MTD812	MTD812	38.0 lb	10,000	248
		809486401611	809486930159			
8 x 3/4"	#2 Phillips	1MTD834	MTD834	36.4 lb	8,000	205
		809486401635	841355095842			
8 x 1"	#2 Phillips	1MTD81	MTD81	29.0 lb	5,000	171
		809486401659	841355095859			
8 x 1-1/4"	#2 Phillips	1MTD8114	MTD8114	33.6 lb	5,000	155
		809486401512	809486930333			
8 x 1-5/8"	#2 Phillips	1MTD8158	MTD8158	33.9 lb	4,000	124
		809486401536	841355095873			
8 x 1-7/8"	#2 Phillips	-	MTD8178	23.6 lb	2,500	105
			841355095880			
8 x 2-1/2"	#2 Phillips	-	MTD8212	24.2 lb	2,000	82
			841355095897			

## BDZ: Drywall-To-Metal Screw



- Zinc Plated
- For Interior Use



Size	Drive	Drill Point Size	5 lbs Bucket	Bulk	Net Carton Weight	Bulk Carton Qty	Approx. Screws per lb
6 x 1-1/4"	#2 Phillips	#2	5BDZ6114	BDZ6114	32.0 lb	8,000	243
			809486401383	809486810154			
6 x 1-5/8"	#2 Phillips	#2	5BDZ6158	BDZ6158	25.0 lb	5,000	206
			809486401406	80948-810208			
6 x 1-7/8"	#2 Phillips	#2	5BDZ6178	BDZ6178	23.0 lb	4,000	174
			809486401420	809486810246			
8 x 2-3/8"	#2 Phillips	#2	5BDZ8238	BDZ8238	24.0 lb	2,500	109
			809486401444	809486810338			
8 x 2-5/8"	#2 Phillips	#2	5BDZ8258	BDZ8258	17.6 lb	2,000	110
			809486401468	809486810383			
8 x 3"	#2 Phillips	#2	5BDZ83	BDZ83	24.0 lb	2,000	85
			809486401482	809486810352			

## WHD: Wafer Head Self-Drilling Screw



- Zinc Plated
- For Interior Use



Size	Drive	Drill Point Size	5 lbs Bucket Item No.	Bulk Item No.	Net Carton Weight	Bulk Carton Qty	Approx. Screws per lb
10-16 x 3/4"	T-25 Star	#3	5WHD1034	WHD1034	36.6 lb	7,000	208
			809486411467	-			
10-16 x 1"	T-25 Star	#3	5WHD101	WHD101	35.0 lb	5,000	164
			809486400447	841355096238			
10-16 x 1-1/4"	T-25 Star	#3	5WHD10114	WHD10114	24.0 lb	3,000	134
			809486400461	841355096245			
10-16 x 1-1/2"	T-25 Star	#3	5WHD10112	WHD10112	18.1 lb	2,000	111
			80948400430	841355096252			

\* Due to manufacturing guidelines, weights and bucket counts are approximate.

# STAR DRIVE BITS

## Star Drive Power Bits



•Impact Rated



Size	Drive	Jar	25 Count Refill Bag	Master Pack	Blister Pack Qty	UPC Number
<b>T-10 Drive</b>						<b>Not Sold Individually</b>
T10 x 2"	100	T10X2J 809486795024	T10X2-25 809486166527	T10MP 809486797608	12-Packs	809486795505
T10 x 3-1/2"	50	T10X312J 809486167296	T10X312-25 809486167265	-	-	-
T10 x 6"	25	T10X6J 809486795031	T10X6-25 809486165247	-	-	-
<b>T-15 Drive</b>						<b>Not Sold Individually</b>
T15 x 2"	100	T15X2J 809486795062	T15X2-25 809486165261	T15MP 809486797615	12-Packs	809486795512
T15 x 3-1/2"	50	T15X312J 809486795109	T15X312-25 809486165285	-	-	-
T15 x 6"	25	T15X6J 809486795123	T15X6-25 809486165292	-	-	-
<b>T-20 Drive</b>						<b>Not Sold Individually</b>
T20 x 2"	100	T20X2J 809486795161	T20X2-25 809486165339	T20MP 809486797622	12-Packs	809486795536
T20 x 3-1/2"	50	T20X312J 809486795208	T20X312-25 809486165353	-	-	-
T20 x 6"	25	T20X6J 809486795222	T20X6-25 809486165360	-	-	-
<b>T-25 Drive</b>						<b>Not Sold Individually</b>
T25 x 2"	100	T25X2J 809486795260	T25X2-25 809486165384	T25MP 809486797639	12-Packs	809486795543
T25 x 3-1/2"	50	T25X312J 809486795307	T25X312-25 809486165407	-	-	-
T25 x 6"	25	T25X6J 809486795321	T25X6-25 809486165414	-	-	-
<b>T-30 Drive</b>						<b>Not Sold Individually</b>
T30 x 2"	100	T30X2J 809486795369	T30X2-25 809486165438	T30MP 809486797646	12-Packs	809486795550
T30 x 3-1/2"	50	T30X312J 809486795406	T30X312-25 809486165452	-	-	-
T30 x 6"	25	T30X6J 809486795420	T30X6-25 809486165469	-	-	-
<b>T-40 Drive</b>						<b>Not Sold Individually</b>
T40 x 2"	100	T40X2J 809486795468	T40X2-25 809486165711	T40MP 809486095032	12-Packs	809486795567
T40 x 3-1/2"	50	T40X312J 809486167302	T40X312-25 809486167272	-	-	-
T40 x 6"	25	T40X6J 809486167319	T40X6-25 809486167289	-	-	-

\* Due to manufacturing guidelines, weights and bucket counts are approximate.

## 1" Star Drive Insert Bits

- Impact Rated
- Color Coded



Item	200 Count Jar	25 Count Refill Bag
T10 x 1"	T10X1J 809486795000	T10X1-25 809486165216
T15 x 1"	T15X1J 809486795048	T15X1-25 809486165254
T20 x 1"	T20X1J 809486795147	T20X1-25 809486165322
T25 x 1"	T25X1J 809486795246	T25X1-25 809486165377
T30 x 1"	T30X1J 809486795345	T30X1-25 809486165421
T40 x 1"	T40X1J 809486795444	T40X1-25 809486165476

## 2" Star Drive Power Bits Variety Pack

- Each holder contains 1 T-10 & T-40 bit and 2 each in drive sizes T-15, T-20, T-25 & T-30
- Reusable Holder
- Impact Rated



Item	UPC Code	Jar	Quantity
10-ct. Power Bit Variety Pack	809486795475	BHTJ	20-ct. Jar

Refill Bags



Master Pack



## Contractor Bit Packs

- 10-Count 2" Bits
- Impact Rated

Bit Size	Contractor Bit Pack
T10 x 2"	T10X2CP 809486167821
T15 x 2"	T15X2CP 809486167838
T20 x 2"	T20X2CP 809486167845
T25 x 2"	T25X2CP 809486167852
T30 x 2"	T30X2CP 809486167869
T40 x 2"	T40X2CP 809486167876

Contractor Packs



\* Due to manufacturing guidelines, weights and bucket counts are approximate.

# PHILLIPS BITS/NUT SETTERS

## Phillips Insert Bits



• By the 25 Ct. Bag or Clear Plastic Jars



Item	Jar Quantity	Jar	25 Count Bag
<b>1" Length</b>			
#2 Insert Bit	200	P21J 809486797479	P21-25 809486-165605
<b>1" Length Drywall</b>			
#2 Drywall Insert Bit	200	P2DW1J 809486797523	P2DW1-25 809486-165643

## Phillips Power Bits



• By the 25 Ct. Bag or Clear Plastic Jars



Item	Jar Quantity	Jar	25 Count Bag
<b>2" Length</b>			
#1 x 2" Power Bit	100	P12J 809486797240	P12-25 809486165599
#2 x 2" Power Bit	100	P22J 809486797547	P22-25 809486165612
#3 x 2" Power Bit	100	P32J 809486796908	P32-25 809486165650
<b>2" Length Drywall</b>			
#2 Drywall Insert Bit	100	P2DW2J 809486167326	P2DW2-25 809486165841
<b>2-3/4" Length</b>			
#2 x 3-1/2" Power Bit	50	P2312J 809486411481	P2312-25 809486165629
<b>6" Length</b>			
#2 x 6" Power Bit	20	P26J 809486411474	P26-25 809486165636

## Drywall Screw Setters



• By the 25 Ct. Bag or Clear Plastic Jars



Item	Jar Quantity	Jar	25 Count Bag
#2 x 1" Drywall Screw Setter	50	DSS21J 809486797448	DSS21-25 809486165698
#2 x 2" Drywall Screw Setter	50	DSS22J 809486797493	DSS22-25 809486165704

## Phillips #2 x 2" Power Bit Multi-Pack



• Each Pack Contains ten #2 x 2" bits  
• Reusable holder



Item	UPC Number	Jar	Jar Count
Power Bit Multi-Pack w/ Holder	809486797554	BHPJ	20-ct. Jar

# BIT HOLDERS/NUT SETTERS

## Nut Setter Variety Packs w/ Reusable Holder

- 1/4" x 1-3/4" • 1/4" x 2-9/16" • 5/16" x 2-9/16"
- 3/8" x 2-9/16" • 7/16" x 2-9/16" • 1/2" x 2-9/16"



Item	UPC Number	Jar	Quantity
6 pc. Nut Setter Variety Pack w/ Holder	809486796977	BHNJ	10-ct. Jar

## Nut Setter Variety Packs w/ Reusable Holder

- 1/4" x 1-3/4" • 1/4" x 2-9/16" • 5/16" x 2-9/16"
- 3/8" x 2-9/16" • 7/16" x 2-9/16" • 1/2" x 2-9/16"



Item	Jar Quantity	Jar	25 Count Bag
<b>1-3/4" Length</b>			
1/4" Nutsetter	50	N14134J 809486797325	N14134-25 809486165513
5/16" Nutsetter	50	N516134J 809486797349	N516134-25 809486165568
3/8" Nutsetter	50	N38134J 809486797363	N38134-25 809486165544
<b>2-9/16" Length</b>			
1/4" Nutsetter	25	N142916J 809486797387	N142916-25 809486165520
5/16" Nutsetter	25	N5162916J 809486797400	N5162916-25 8094867165575
3/8" Nutsetter	25	N382916J 809486797424	N382916-25 809486165551
<b>6" Length</b>			
1/4" Nutsetter	-	-	N146-25 809486165537
5/16" Nutsetter	-	-	N5166-25 809486165858

## 2" Magnetic Bit Holder w/ Slip Collar

• By the 25 Ct. Bag or Clear Plastic Jars



Item	Jar Quantity	Jar	25 Count Bag
1/4 x 2-1/4"	25	MBHC2J 809486050512	MBHC2-25 809486165681

## Quick Release Magnetic Bit Holder

• By the 25 Ct. Bag or Clear Plastic Jars



Item	Jar Quantity	Jar UPC Number	25 Count Bag UPC Number
2-3/8" Quick Release	25	QMBHJ 809486050505	QMBH-25 809486165483
4" Quick Release	10	QMBH4J 809486050543	QMBH4-25 809486165490
6" Quick Release	10	QMBH6J 809486050567	QMBH6-25 809486165506

# MISCELLANEOUS PRODUCTS

## Gray Dektite Standard EPDM Pipe Flashings

- Continuous Service Temperature Range -65°F to +250°F
- EPDM Rubber w/ Aluminum Base

Item	Outside Pipe Diameter	Base Size	Net Carton Weight	Carton Quantity*
GRAY1	1/4" - 2-1/2"	4-3/4"	3.7 lb	15
GRAY2	1-3/4" - 3"	6-1/4"	6.3 lb	15
GRAY3	1/4" - 5"	7-3/4"	7.5 lb	15
GRAY4	3" - 6-1/4"	9-1/4"	7.0 lb	10
GRAY5	4-1/4" - 7-3/4"	10-1/2"	8.0 lb	10
GRAY6	5" - 9"	13"	11.0 lb	10
GRAY7	6" - 11"	14-1/2"	15.0 lb	10
GRAY8	7" - 13"	16-1/2"	9.5 lb	5
GRAY9	10" - 19"	25-1/4"	25.5 lb	5



## Red High Temperature Silicone Pipe Flashings

- Continuous Service Temperature Range -40°F to +350°F
- Red Silicone With Aluminum Base

Item	Outside Pipe Diameter	Base Size	Net Carton Weight	Carton Quantity*
RED3	1/4" - 5"	7-3/4"	8.25 lb	5
RED5	4-1/4" - 7-3/4"	10-1/2"	9.0 lb	5
RED8	7" - 13"	16-1/2"	9.5 lb	5
RED9	10" - 19"	25-1/4"	10.2 lb	2



## Gray Retrofit EPDM Pipe Flashings

- 250° Temperature Rating
- Flexible Weatherproof EPDM Rubber w/ Locking Joiner

Item	Outside Pipe Diameter	Base Size	Net Carton Weight	Carton Quantity*
RF1	3/4" - 2-3/4"	6-1/4"	4.3 lb	5
RF2	2" - 7-1/4"	10-3/4"	6.4 lb	5
RF3	3-1/4" - 10"	14-1/2"	10 lb	5



## Round Mini Vents with Screen

Item	Finish	Diameter	Net Carton Weight	Bag Quantity	Carton Quantity*
RL2	Mill	2"	.031 lb	6	36
RL212	Mill	2-1/2"	.043 lb	6	36
RL3	Mill	3"	.06 lb	4	36
RL4	Mill	4"	.096 lb	4	36
RLB2	Brown	2"	.033 lb	6	36
RLB212	Brown	2-1/2"	1.188 lb	6	36
RLB3	Brown	3"	.06 lb	4	36
RLB4	Brown	4"	.096 lb	4	36
RLB6	Brown	6"	.183 lb	2	12
RLW2	White	2"	.033 lb	6	36
RLW3	White	3"	.057 lb	4	36
RLW4	White	4"	.093 lb	4	36
RLW6	White	6"	.188 lb	2	12





## Hammer Tacker Staples

Item	Box SKU	Finish	Length	For Use With	Count Per Box	Weight	UPC Code
FST385	STCR5019	Galvanized	3/8"	Bostitch H-30	5,000	1.58 lb	600883510018
A-11	FANA1138G	Galvanized	3/8"	Rapid 11/ Arrow T30/HT50	5,000	1.47 lb	608835100003



# MARKETING MATERIALS

## HEADER BOARDS



## SHELF STRIPS





BROAD PRODUCT LINE

**783** ACTIVE SKU'S

**#1** BEST SHOPABILITY  
in the industry; color-coded  
and retail friendly

**8** PRODUCT LINES  
HAVE STRUCTURAL  
CERTIFICATIONS  
AND TECHNICAL DATA




**1 OF 4**

**PROFESSIONAL GRADE  
SCREW OFFERINGS ON THE MARKET**

- Highest quality steel (10-B 21) – heat treated and hardened
- Deep 6-lobe star drive recess reduces cam outs
- Under head cutting nibs to aid in countersinking
- Aggressive knurl shank enlarges hole to reduce splitting
- V-cut notches on thread to cut wood fibers at insertion for reduced torque
- Type-17 tip for faster precise starts
- High-grade 316 Stainless Steel product offerings

**98%** FILL RATES  
DURING THE PANDEMIC

**RAPID** WAREHOUSE  
TO SHELF RATE





**DrJ** **CERTIFICATION**

Approved. Sealed. Code Compliant.

**Technical Evaluation Report**  
**TER 1907-05**  
 Big Timber® Cladding Attachment  
 through Foam Sheathing

**Western Builders Supply**  
**DBA Big Timber®**

**Products:**  
**Big Timber® CTX, BL, GL, BTX,**  
**YTX, STX, SCTX, and WTX**  
**Screws**

For the most recent version or a sealed copy of this Technical Evaluation Report (TER), visit <http://bigtimberfasteners.com>  
 DrJ Engineering, LLC • 6500 Falkland Lane • Madison, WI 53706

BIG TIMBER® CLADDING ATTACHMENT THROUGH FOAM SHEATHING  
 © 2021 DRJ ENGINEERING, LLC

BIG TIMBER® CLADDING ATTACHMENT THROUGH FOAM SHEATHING  
 © 2021 DRJ ENGINEERING, LLC

**DrJ**

COMPANY INFORMATION:  
 Western Builders Supply  
 DBA Big Timber®  
 53 N 15th St Ste 1  
 Billings, MT 59101-2501  
 406-252-6309  
[sales@bigtimberfasteners.com](mailto:sales@bigtimberfasteners.com)  
[bigtimberfasteners.com](http://bigtimberfasteners.com)

DIVISION: 06 00 00  
 SECTION: 06 05 23

**1. PRODUCT EVALUATION**

1.1 CTX Constr  
 BL Log Tim  
 GL Gray S  
 BTX and Y  
 STX and S  
 WTX Wall

**2. APPLICABLE**

2.1 Codes:  
 2.1.1 IRC  
 2.1.2 IRC  
 2.2 Standards:  
 2.2.1 AF  
 2.2.2 A  
 2.2.3 A  
 2.2.4  
 2.2.5  
 2.2.6  
 2.2.7

3.1 Big Timber  
 attachment  
 3.2 Use of fa  
 excepted  
 3.2.1 STX  
 3.3 Any cob  
 3.4 Any em  
 screw

**4. PRODUCT**

4.1 Fasten  
 4.1.1 C

4.2  
 4.1.2

4.2.8 ASTM  
 4.2.9 AWC T

**3. PERFORMANCE**

4.2.6 CTX, BL,  
 lumber at  
 and (500  
 4.2.6.1 The l  
 prop  
 200  
 4.2.7 Fasten  
 line-rig  
 4.2.8 Only th  
 sulfate  
 4.3 The CTX

Fastener Name	Designation
	14 x 2
	14 x 4
	14 x 6
	14 x 8
	14 x 10
	15 x 8
	15 x 10
	15 x 12
	15 x 14
	15 x 16
	15 x 18
	15 x 20
	15 x 22
	15 x 24
	15 x 26
	15 x 28
	15 x 30
	15 x 32
	15 x 34
	15 x 36
	15 x 38
	15 x 40
	15 x 42
	15 x 44
	15 x 46
	15 x 48
	15 x 50
	15 x 52
	15 x 54
	15 x 56
	15 x 58
	15 x 60
	15 x 62
	15 x 64
	15 x 66
	15 x 68
	15 x 70
	15 x 72
	15 x 74
	15 x 76
	15 x 78
	15 x 80
	15 x 82
	15 x 84
	15 x 86
	15 x 88
	15 x 90
	15 x 92
	15 x 94
	15 x 96
	15 x 98
	15 x 100

06 10 25.4 Dr  
 1. Fastener  
 2. Shear cap  
 3. Shear cap  
 4. Round cap

TO GET INFORMATION ON OUR TECHNICAL DATA VISIT  
**BigTimberFasteners.com**

# CUSTOM PLANOGRAMS

TO MEET YOUR  
BUSINESS NEEDS

MOUNTAIN TESTED™ SINCE 1945



# ▶ GET THE RIGHT FASTENER FOR THE JOB.

**BIG TIMBER OFFERS READY-MADE PLANOGRAM SETS FOR:**

- Farm & Ranch • Lumber Yard • Hardware Store • Stainless • Specialty • Drywall • Decking



If you like our products, make sure  
you check out these other brands.



# Marmon Construction Fastener Company

A Marmon | Berkshire Hathaway Company



[AtlasFasteners.com](http://AtlasFasteners.com)



[BigTimberFasteners.com](http://BigTimberFasteners.com)



[PanAmericanScrew.com](http://PanAmericanScrew.com)



[RobertsonScrew.com](http://RobertsonScrew.com)



[TennTex.com](http://TennTex.com)

# WARRANTY & CONDITIONS OF SALE

## QUALITY ASSURANCE

Western Builders Supply's (DBA Big Timber Fasteners) mission is to provide the highest quality construction fasteners that are fit for all construction applications. Big Timber Fasteners do not require pre-drilling in most applications. A select number of Big Timber products are certified for projects that require building code compliance. Big Timber Fasteners is not responsible for product failure caused by the improper use or installation. Use care if using an impact driver during any assembly or installation process. Impact drivers can damage the head of the screw.

## LIMITED WARRANTY

WBS warrants its products to be free from defects in material and manufacturing. When WBS has determined that a product is defective, it will be replaced at no cost. This warranty does not apply to any labor costs, or any other charges that may be incurred in the installation, repair, or replacement of the product. **NO OTHER WARRANTY IS IMPLIED.**

## CLAIMS

All claims for damage or shortage must be made within seven (7) days of receipt of order.

## RETURNS

Items can only be returned for credit with authorization issued by Western Builders Supply.

## CREDIT

- All orders are subject to credit approval.
- Orders will be held on all accounts with past due balances of 20 days or more.

Please send your payments to:

Western Builders Supply  
33269 Collection Center Drive • Chicago, IL 60693-0332

## HOW TO ORDER

Phone: Toll Free Order Line: 1.800.726.4803  
Toll line: 406.252.6309

Fax: Toll Free FAX Line: 1.866.251.6300  
Toll FAX line: 406.252.5209

Email: [Sales@BigTimberFasteners.com](mailto:Sales@BigTimberFasteners.com)

## Freight

- All orders F.O.B. 1363 Montana Avenue, Billings, MT 59101 (unless minimums are met).
- Prepaid shipments will be shipped by the carrier of Western Builders' choice.
- Orders not meeting prepaid minimums will be charged for shipping.

## LIABILITY

The purchaser shall be solely responsible for testing and verifying the suitability of the product for any intended use. No warranty for intended use is implied. The purchaser assumes all such risk and liability. WBS' only obligation is replacement or credit for any product proven to be defective.

# THE FASTENER YOU USE MATTERS.

Our rugged, Professional Grade Fasteners for Pros and Weekend Warriors have secured our place as the top fastener brand.



Please contact us with any questions you might have.

Phone .....406.252.6309

Toll Free .....800.726.4803

Fax .....406.252.5209

Toll Free Fax .....866.251.6300

Email.....sales@BigTimberFasteners.com

#### Shipping Address

1363 Montana Avenue • Billings, MT 59101

#### Mailing Address

53 N. 15th Street Suite #1 • Billings, MT 59101

#### Hours of Operation

8 a.m. - 5 p.m. MST • Monday through Friday



 A Marmion |  
Berkshire Hathaway  
Company

▶ [BigTimberFasteners.com](http://BigTimberFasteners.com)